

# KITCHEN SINKS



## OPALCAST

*Double-Bowl Sink 33"x22"x9 1/2"*

*Dual Purpose Undermount or Self-Rimming Application*

- 9 1/2" deep full size compartments.
- Porcelain enameled steel encased with SYNIRON™ 2, an engineered composite material designed to improve heat retention, reduce noise and prevent handling and transportation damage.
- 1 1/2" rim radius for retro fit application.
- Perfect for upgrade replacement market.
- To be used in an undermount or self-rimming installation.
- Available in 4-hole faucet punch. 3 or 5-hole available upon request.

## OPAL

*Double-Bowl Sink 33"x22"x9 1/2"*

*Dual Purpose Undermount or Self-Rimming Application*

- 9 1/2" deep full size compartments.
- 1 1/2" rim radius for retro fit application.
- Perfect for upgrade replacement market.
- To be used in an undermount or self-rimming installation.
- Available in 4-hole faucet punch. 3 or 5-hole available upon request.

## GARNET 2

*Double-Bowl Sink 33"x22"x7 3/16"*

*Dual Purpose Undermount or Self-Rimming Application*

- Fits snugly into countertop, eliminating chrome rim cost.
- The high-tech look is a cut above standard high volume sinks.
- To be used in an undermount or self-rimming installation.
- Available in 4-hole faucet punch. 3 or 5-hole available upon request.

## GARNET

*Double-Bowl Sink 32"x21"x7 3/16"*

*Dual Purpose Undermount or Flat-Rimming Application*

- The extra space combined with classic styling makes kitchen chores a breeze.
- Mounting rim not included.
- To be used in an undermount or self-rimming installation.
- Available in 4-hole faucet punch. 3 or 5-hole available upon request.

# LAVATORIES



## AZALEA

*Oval Lavatory 20" x 17" Self-Rimming*

- Attractive oval styling with self-rimming convenience.
- Flat mounting surface accommodates the latest faucet designs.
- Exclusive "stud and clip" assembly with plastic overflow eliminates pop-offs, leaks and o/f rust.

## LAUREL

*Round Lavatory 19" x 19" Self-Rimming*

- Timeless round shape that goes with any decor.
- Flat mounting surface accommodates the latest faucet designs.
- Exclusive "stud and clip" assembly with plastic overflow eliminates pop-offs, leaks and o/f rust.

## DAFFODIL

*Oval Lavatory 19" x 16" Flat Rim*

- A flat rim lavatory for use with stainless steel rim (not furnished) for smooth appearance and fit.

## DAISY

*Round Lavatory 18" x 18" Flat Rim*

- The eye-pleasing round design and sculpted soap areas make this flat rim lavatory at home anywhere.
- Requires stainless steel rim, not furnished.

## ORCHID

*Oval Lavatory 19" x 16" Under-Mount*

- Attractive oval styling with under-mount design
- Designed to work with natural stone and the latest man-made solid countertops.

# RELAX

BOOTZ INDUSTRIES SUPPLIES THE ULTIMATE IN  
BATHING FIXTURE QUALITY & CRAFTSMANSHIP



## THE BOOTZ COLLECTION

THE MOST COMPLETE LINE OF PORCELAIN-ON-STEEL BATH & KITCHEN FIXTURES.



# BATH TUBS

## WHAT MAKES SYNIRON™ 2 & CAST BATHTUBS AND SINKS BETTER?

SYNIRON™ 2 is an engineered multi-composite backing material that is bonded, layered, molded, and sprayed on the backside of Bootz premium products. This backing was developed as “The Affordable Alternative” to cast iron, and weighs approximately 1/3 of traditional cast iron products, allowing easier transportation, handling and installation. This backing design also provides superior water heat retention, noise absorbing (“solid” quality sound), and resistance to impact damage. These premium products also include a Limited Lifetime warranty.



### ALOHA

5' Bathtub 60" x 30" x 14 1/4"  
Standard Outlet

- The industry's #1 selling bathtub.
- Full-length bath offering exceptional performance and roominess for recess tub applications.
- 40° lumbar support for comfortable bathing.
- Free-standing on full-length noise-absorbing support pad.
- Available in left or right hand with slip-resistant bottom.

### ALOHA AFR

5' Bathtub 60" x 30" x 16 5/8"  
Raised Outlet

- Premium quality one-piece construction bath.
- Raised outlet for installation on concrete floors (hotel, motels, and commercial applications).
- Free-standing on full-length noise-absorbing support pad.
- Available in left or right hand with slip-resistant bottom.
- Also available in SYNIRON™ 1 – sprayed application,

### HONOLULU

4' Bathtub 46 1/2" x 27" x 15 1/4"  
Standard Outlet

- A compact one-piece design for space saving convenience in homes, hotels and apartments.
- A great choice for bath and shower use where space is at a premium.
- Available in left or right hand with slip resistant bottom.
- Also available in 46 1/2" SYNIRON™ 1 – sprayed application.

### MAUI

Deep Soaker 60" x 30" x 16 5/8"  
Standard Outlet

- Industry's deepest enameled steel bathtub for the most comfortable bathing experience, with 15" soaking depth (2" deeper than standard) and 35° lumbar support.
- Full length noise-absorbing support pad for peaceful bathing and added strength.
- Available in left or right hand with slip-resistant bottom.
- Also available as MAUICAST™, encased with SYNIRON™ 2 backing for improved heat retention, noise reduction, and prevention of handling and transportation damage.

### KONA

4 1/2' Bathtub 54" x 30" x 14 1/4"  
Standard Outlet

- A compact one-piece design for space saving convenience in homes, hotels and apartments.
- The 54" x 30" bathtub has a fully bonded support pad.
- A great choice for bath and shower use where space is at a premium.
- Available in left or right hand with slip resistant bottom.
- Also available in 54" SYNIRON™ 1 – sprayed application.

For detailed spec sheets on all our products, please visit our website at [www.bootz.com](http://www.bootz.com)



### MAUICAST

Deep Soaker 60" x 30" x 16 5/8"  
Standard Outlet

- Industry's deepest enameled steel bathtub for the most comfortable bathing experience, with 15" soaking depth (2" deeper than a standard 5' bathtub) and 35° lumbar support.
- Encased with SYNIRON™ 2 backing to improve heat retention, reduce noise, and prevent handling and transportation damage.
- Available in left or right hand with slip-resistant bottom.
- Full length noise-absorbing support pad.

### BOOTZCAST

5' Bathtub 60" x 30" x 14 1/4"  
Standard and Raised Outlet

- Porcelain enameled steel encased with SYNIRON™ 2, an engineered composite material designed to improve heat retention, reduce noise, and prevent handling and transportation damage.
- 40° lumbar support for comfortable bathing.
- Weighs only 90lbs. – easy to transport and install.
- Full-length noise-absorbing support pad for peaceful bathing and added strength.
- Available in left or right hand with slip-resistant bottom.
- “The Affordable Alternative” to cast iron.
- Raised outlet – BootzCast™ 60" x 30" x 16 5/8"

### SYNIRON™ 2

5' Bathtub 60" x 30" x 14 1/4"  
Standard and Raised Outlet

- Porcelain enameled steel encased with SYNIRON™ 2, an engineered composite material designed to improve heat retention, reduce noise, and prevent handling and transportation damage.
- Weighs only 90lbs. – easy to transport and install.
- Full-length noise-absorbing support pad for peaceful bathing and added strength.
- Available in left or right hand with slip-resistant bottom.
- “The Affordable Alternative” to cast iron.
- Also available in SYNIRON™ 1 – sprayed application.
- Raised outlet – Waikiki 60" x 30" x 16 5/8"







# SHOWERCAST & SHOWERCAST PLUS

## SHOWERCAST

*Standard Shower Base 60" x 30" x 4"*

## SHOWERCAST PLUS

*Spacious Shower Base 60" x 32" x 4"*

Both shower base fixtures are made of one-piece sanitary, acid-resistant, high-gloss porcelain enameled steel. Weighing just 40 lbs. (ShowerCast) and 50 lbs. (ShowerCast Plus), offers easier transportation, handling and installation. Designed to fit the footprint of standard bathtubs for ease of replacement in remodeling applications. Full-length noise-absorbing support pad for easy "Set it and level it." installation, peaceful showering, and added strength. Available in left or right hand with slip-resistant bottom. Shower products do not include SYNIRON™2 backing.





## SHOWER BASE

	<b>ShowerCAST 5' Shower Base</b> 60" x 30" x 4" <b>Standard Outlet</b>		<b>ShowerCAST Plus Shower Base</b> 60" x 32" x 4" <b>Standard Outlet</b>
010-1000	RH Drain, slip-resistant	010-1100	RH Drain, slip-resistant
010-1001	LH Drain, slip-resistant	010-1101	LH Drain, slip-resistant

## BATHTUBS

	<b>Maui 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Standard Outlet</b>		<b>Mauicast 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Standard Outlet</b>
011-3340	RH Drain, slip-resistant	011-3344	RH Drain, slip-resistant
011-3341	LH Drain, slip-resistant	011-3345	LH Drain, slip-resistant
	<b>Bootzcast 5' Bathtub</b> 60" x 30" x 14 1/4" <b>Standard Outlet</b>		<b>Bootzcast 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Raised Outlet</b>
011-7100	RH Drain, slip-resistant	011-7150	RH Drain, slip resistant
011-7101	LH Drain, slip-resistant	011-7151	LH Drain, slip resistant
	<b>SYNIRON 2, 5' Bathtub</b> 60" x 30" x 14 1/4" <b>Standard Outlet</b>		<b>SYNIRON 2, 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Raised Outlet</b>
011-3390	RH Drain, slip resistant	011-3394	RH Drain, slip resistant
011-3391	LH Drain, slip resistant	011-3395	LH Drain, slip resistant
	<b>SYNIRON 1, 5' Bathtub</b> 60" x 30" x 14 1/4" <b>Standard Outlet</b>		<b>SYNIRON 1, 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Raised Outlet</b>
011-3382	RH Drain, slip resistant	011-3380	RH Drain, slip resistant
011-3383	LH Drain, slip resistant	011-3381	LH Drain, slip resistant
	<b>SYNIRON 1, 4 1/2' Bathtub</b> 54" x 30" x 15 1/4" <b>Standard Outlet</b>		<b>SYNIRON 1, 4' Bathtub</b> 46 1/2" x 27" x 15 1/4" <b>Standard Outlet</b>
011-3388	RH Drain, slip resistant	011-3386	RH Drain, slip resistant
011-3389	LH Drain, slip resistant	011-3387	LH Drain, slip resistant
	<b>ALOHA 5' Bathtub</b> 60" x 30" x 14 1/4" <b>Standard Outlet</b>		<b>ALOHA AFR 5' Bathtub</b> 60" x 30" x 16 5/8" <b>Raised Outlet</b>
011-3364	RH Drain, slip resistant	011-3672	RH Drain, slip resistant
011-3365	LH Drain, slip resistant	011-3673	LH Drain, slip resistant
	<b>KONA 4 1/2' Bathtub</b> 54" x 30" x 15 1/4" <b>Standard Outlet</b>		<b>HONOLULU 4' Bathtub</b> 46 1/2" x 27" x 15 1/4" <b>Standard Outlet</b>
011-3302	RH Drain, slip resistant	011-3378	RH Drain, slip resistant
011-3303	LH Drain, slip resistant	011-3379	LH Drain, slip resistant

## KITCHEN SINKS

	<b>OPALCAST Double Bowl Sink</b> 33" x 22" x 9 1/2" <b>Self-Rim or Undermount</b> (w/o soap depressions)		<b>OPAL Double Bowl Sink</b> 33" x 22" x 9 1/2" <b>Self-Rimming</b> (w/o soap depressions)
031-2906	3-Hole Punch	031-2900	3-Hole punch
031-2907	4-Hole Punch	031-2901	4-Hole punch
031-2908	5-Hole Punch	031-2902	5-Hole punch
	<b>GARNET 2 Double Bowl Sink</b> 33" x 22" x 7 3/16" <b>Self-Rimming</b> (w/o soap depressions)		<b>GARNET Double Bowl Sink</b> 32" x 21" x 7 3/16" <b>Flat-Rim</b> (with soap depressions)
031-2957	3-Hole punch	031-2780	3-Hole punch
031-2958	4-Hole punch	031-2781	4-Hole punch
031-2959	5-Hole punch	031-2782	5-Hole punch

## LAVATORIES

	<b>Laurel Round Lavatory</b> 19" round (studs w/o soap depressions)		<b>Laurel Round Lavatory</b> 19" round (brackets w/o soap depressions)
021-2435	Centerset punch, self-rim	021-2436	Centerset punch, self-rim
021-2435M	Centerset punch, self-rim (6 pack)	021-2436M	Centerset punch, self-rim (6 pack)
	<b>Azalea Oval Lavatory</b> 20" x 17" (studs w/o soap depressions)		<b>Azalea Oval Lavatory</b> 20" x 17" (brackets w/o soap depressions)
021-2445	Centerset punch, self-rim	021-2446	Centerset punch, self-rim
021-2445M	Centerset punch, self-rim (6 pack)	021-2446M	Centerset punch, self-rim (6 pack)
	<b>Daisy Round Lavatory</b> 18" Round		<b>Daffodil Oval Lavatory</b> 19" x 16"
021-2430	Centerset punch, flat-rim	021-2440	Centerset punch, flat-rim
	<b>Orchid Oval Lavatory</b> 19" x 16"		
021-2442	Under-mount		

© 2018 Bootz Industries

All current Bootz bathtubs and single-bowl sinks are ADA compliant when installed in accordance with present ADA guidelines.

BOOTZ INDUSTRIES: 1400 Park Street • P.O. Box 18010 • Evansville, IN 47719-1010 • (812) 423-5401 • Fax (812) 429-2254 • [www.bootz.com](http://www.bootz.com) • [webmaster@bootz.com](mailto:webmaster@bootz.com)