




Lighting

Designed through innovation

ABOUT US



Sensio has designed and developed lighting solutions for the kitchen, bedroom and bathroom markets since 2007.

We work in partnership with the best manufacturers, producing the highest quality products with our internal product designers and engineers.

We distribute our products with reliable service, providing a category managed solution consisting of support, training, marketing and NPD.

We believe that quality and innovation have to be at the heart of our company.

We work with change, create future value, maximise the opportunity and contribute positively to everyone we touch.

Innovation, Create, Illuminate.



Sensio Lighting Ltd



Sensio America LLC



Sensio Company (HK) Ltd



Sensio Slovenia D.O.O

DESIGN

Design and development have always been at the heart of what we do. We don't just follow the trends, we set them. We design our own products with our internal designers and engineers, allowing us to put our expertise and industry knowledge to use. Every detail is designed with sheer excellence and to the highest standard.

Our aim is to push the boundaries of our industry by designing and delivering the most innovative, unique products. We don't just think lighting; we think furniture to ensure our unique product offering enhances your furniture designs.

Award Winning Lighting



INNOVATION AWARDS
EXCEL LONDON 2011



QUALITY

To Sensio, quality doesn't just mean product.

To emphasise the value we place on the high quality of our products, we have implemented a **5 year guarantee** on all standard fittings. We pride ourselves on offering superior quality products, using the best components and materials to guarantee long-life performance, high light output and enhanced durability.

All of our products are certified by UK laboratories and are in line with our Quality Assurance Policy. We are proud to have achieved ISO 9001: 2015 Quality Management Status, demonstrating our ability to meet both customer and applicable statutory and regulatory requirements.

We expect our manufacturing plants to be accredited to ISO:14001 and to have been SMETA audited. We are a member of the WeeeCare Compliance Scheme (registration number WEE/FC0554ZV) and Batteryback (registration number BPRN06311).

Certification





SERVICE

Sensio UK operates from our head office in Castleford, West Yorkshire.























Our warehouse space gives us the ability for a bigger stock holding than ever before. Our logistics are ever improving and a programme of ongoing investment allows us to improve year on year. We consistently achieve a high OTIF performance and a low returns rate of only 0.025%.

Our dedicated Customer Support team are highly trained and able to answer any query, no matter how technical. Our website's FAQ section is constantly updated with new topics whenever a new question is presented to us. We have a wide range of 'How To Guide' videos. These cover many topics including installation guides, product overviews, help with product selections, product set up guides and many more.

Please visit our How To Guide Academy at www.sensio.co.uk/howto

ICONS EXPLAINED

All products have their own unique features. These icons will act as a guide.

					
Chrome Finish	Cool LED Colour	Dimmable	120°	35,000 hrs	2.5 metres
Finish colour	LED colour temperature	Dimmable	Beam angle	LED life in hours	Product cable length
					
2 per m	Prismatic	SLS	Bluetooth	On/off switch	COB
No of LEDs per metre	Prismatic LED technology™	Surface Light Source - no visible LED points (™)	Bluetooth	On/off switch	Chip on board LED technology
					
Built-in sensor switch	Ideal for retro-fitting	Rechargeable lithium-ion battery	Battery operated (AA or AAA)	Sensio app controlled	Registered Design Rights
					
RGB	3-in-1 colour triotone light	Wireless charging	Indicates protection against water		
Colour changing	3-in-1 colour triotone light	Wireless charging	Indicates protection against water		



Each product in this brochure has its own unique QR code. Scan this code with a free scanner app available for all smart phones to be directed to our How To Academy. The Academy was launched in 2017 to offer support and guidance on all Sensio products. We produce videos to ensure you have all the tools you need to select, install and make the most of every Sensio lighting product we offer.

CONTENTS

14 KITCHEN LIGHTING	66 SHELF LIGHTING	116 ALUMINIUM PROFILES	160 BEDROOM LIGHTING
16 UNDER CABINET SPOT LIGHTING	68 EDGE	NEW 118 BEAM	162 RECHARGEABLE BATTERY WARDROBE LIGHTING
NEW 18 HYPE TRIOTONE	70 FLORENCE	120 LINIA	164 ALTO
NEW 20 BERMUDA TRIOTONE	72 DRAWER LIGHTING	122 FINO	166 SOLUS
22 PAD 2	74 VERSO	124 BATTERY LIGHTING	168 MIMAS
24 ALTI	NEW 76 DURA	NEW 126 DOMA	170 PRISMA
26 QUADRA MODERN	78 OVER CABINET LIGHTING	NEW 128 OPAL	172 INCLINE
28 LARA	80 QUADRA MODERN	130 MIDWAY HANGING RAIL SYSTEM	174 ORION
30 HYPE	82 ASTA	132 MIDWAY V1 HANGING RAIL SYSTEM (SILVER)	176 LOW VOLTAGE WARDROBE LIGHTING
32 NICO	84 PLINTH LIGHTING	134 MIDWAY V1 HANGING RAIL SYSTEM (BLACK)	178 ELARA
34 ORBIT	86 LUCE	136 CEILING LIGHTING	180 OPERIO
36 SENSIO SOUND	88 SPECTO	138 ZIRCONIA	182 OPERIO MINI
38 NOVUS	90 PURO	140 BELLATRIX	184 LED READING LIGHTS
40 BERMUDA	92 NIMBUS	142 IP65 GU10	186 OPUS
42 ANGLO	94 FLEXIBLE STRIP LIGHTING	144 WIRELESS CHARGING	188 FLECTO
44 ORA	NEW 96 SIGMA	146 QI	190 LIGHTING CONTROL
NEW 46 PINTO	NEW 98 QUANTUM	148 SENSIO POD	192 LED DIMMING REMOTE CONTROL
48 GX53 CIRCA	100 COMPACT	150 SENSIO POD	194 CANNON
50 GX53 TRIGON	102 VIVA	152 SENSIO POD+	196 MODA
52 UNDER CABINET STRIP LIGHTING	104 PRIMO	154 SENSIO POWER R	198 250W INFRA RED SENSOR SWITCH
54 ARROW	106 DUOFLEX	156 SENSIO POD BLUETOOTH	200 IN-CABINET PIR SENSOR SWITCH
56 CONNEX	108 DUOFLEX REMOTE CONTROL	158 SENSIO POWER U	202 250W IN-CABINET IR SENSOR SWITCH
58 ALBUS	110 RGB		
60 IN CABINET LIGHTING	112 RGB REMOTE CONTROL & RECEIVER		
62 QUADRA MODERN	114 SENSIO MULTI LIGHT APP		
64 QUADRA CLASSIC			
			204 DRIVERS
			206 PRODUCT INDEX



KITCHEN LIGHTING

UNDER CABINET SPOT LIGHTING

- Primarily used as task lighting.
- Perfectly positioned to ensure the kitchen is an efficient working space for everyday tasks such as food preparation.
- Typically positioned under wall units to illuminate worktops.
- We recommend using 2-3 spot lights every metre. The effect created is a coned beam.

HYPE TRIOTONE™

LED SURFACE/RECESSED LIGHT



• Registered Design Right - 6022106

- 1 light - 3 colour temperatures
- Choose between cool white, natural white and warm white by flicking a switch on the back of the fitting
- Simple to use and easy to install. Choose the colour temperature that suits your kitchen
- Cable can be unplugged from the back of the fitting via quick-release connector (available from mid-2018)
- Fitting supplied with collar for surface mounting
- Sleek appearance
- Diffused light - no visible dots
- Luminous efficacy of 79-91 lm/W



Hype Triotone™ LED Surface/Recessed Light - (3000K, 4000K, 5000K)


CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21100	1.65W	● 24V	1	130-150 lm	Required	£20.76
SE21100K2	3.3W	● 24V	2	130-150 lm	6W included	£57.75
SE21100K3	4.95W	● 24V	3	130-150 lm	6W included	£78.08



CCT change switch



Quick-release connector



Recessed: Cut out size: Ø60mm



Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



Warm white 3000K

Natural white 4000K

Cool white 5000K

BERMUDA TRIOTONE™ LED TRIANGLE LIGHT



• Registered Design Right - 6022106

- 1 light - 3 colour temperatures
- Choose between cool white, natural white and warm white by flicking a switch on the back of the fitting
- Simple to use and easy to install. Choose the colour temperature that suits your kitchen
- Cable can be unplugged from the back of the fitting via quick-release connector (available from mid-2018)
- Fitting supplied with collar for surface mounting
- Sleek appearance
- Diffused light - no visible dots
- Luminous efficacy of 79-91 lm/W



Bermuda Triotone LED Triangle Light - (3000K, 4000K, 5000K)


CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21000	1.65W	24V	1	130-150 lm	Required	£22.44
SE21000K2	3.3W	24V	2	130-150 lm	6W included	£61.03
SE21000K3	4.95W	24V	3	130-150 lm	6W included	£83.03



CCT change switch



Quick-release connector



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64




Image shows how this product is wired to a driver



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



Warm white 3000K

Natural white 4000K

Cool white 5000K

PAD2

PRISMATIC™ LED LIGHT



- Featuring **PRISMATIC** LED technology
- Contains an innovative diffuser with an etched design to completely diffuse light
- Discreet 7mm depth
- Elongated light panel to allow for an increased spread of light across the worktop
- No visible diodes reflect on the worktop
- Superb bright light output
- Maximum luminous efficacy of 88 lm/W
- Switch/dim using Sensio sensors and controllers



PAD2 Prismatic LED Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE22006C0	3.5W	● 24V	1	308 lm	Required	£39.60
SE22006C2	7W	● 24V	2	308 lm	15W included	£100.20
SE22006C3	10.5W	● 24V	3	308 lm	15W included	£139.01

PAD2 Prismatic LED Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE22006W0	3.5W	● 24V	1	301 lm	Required	£39.60
SE22006W2	7W	● 24V	2	301 lm	15W included	£100.20
SE22006W3	10.5W	● 24V	3	301 lm	15W included	£139.01




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



ALTI

SQUARE PRISMATIC™ LED LIGHT



- Featuring **PRISMATIC** LED technology
- Contains an innovative diffuser with an etched design to completely diffuse light
- Super thin depth of 6mm
- Great for kitchens without a pelmet
- No visible diodes
- Superbly bright output
- Maximum luminous efficacy of 91lm/W
- Switch/dim using Sensio sensors and controllers



ALTI Square Prismatic LED Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21006C0	3.5W	● 24V	1	319 lm	Required	£21.12
SE21006C2	7W	● 24V	2	319 lm	15W included	£63.97
SE21006C3	10.5W	● 24V	3	319 lm	15W included	£84.67

ALTI Square Prismatic LED Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21006W0	3.5W	● 24V	1	291 lm	Required	£21.12
SE21006W2	7W	● 24V	2	291 lm	15W included	£63.97
SE21006W3	10.5W	● 24V	3	291 lm	15W included	£84.67




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



QUADRA MODERN LED UNDER CABINET LIGHT



- **Registered Design Right - 6024086**
- Multi-functional design, unique to Sensio in the UK
- Elongated design allows for vast spread of light across worktop
- Specialised lens diffuses LEDs to create the appearance of invisible diodes
- High number of LEDs for bright light output
- In-built sensor helps to maintain hygiene levels in the kitchen
- Easy installation using daisy chaining to fit multiple lights into one area
- Specially designed mounting brackets allow for simple installation



Quadra Modern LED Under Cabinet Light (WITHOUT SENSOR) - Cool White (5600K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092C0	2.5W	24V	1	170 lm	Required	£19.56
SE21092C2	5W	24V	2	170 lm	6W included	£55.39
SE21092C3	7.5W	24V	3	170 lm	15W included	£80.09

Quadra Modern LED Under Cabinet Light (WITH SENSOR) - Cool White (5600K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21192C0	2.5W	24V	1	170 lm	Required	£24.48
SE21192C2	5W	24V	2	170 lm	6W included	£60.22
SE21192C3	7.5W	24V	3	170 lm	15W included	£84.91




Quadra Modern LED Under Cabinet Light (WITHOUT SENSOR) - Warm White (3000K)


CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092W0	2.5W	24V	1	155 lm	Required	£19.56
SE21092W2	5W	24V	2	155 lm	6W included	£55.39
SE21092W3	7.5W	24V	3	155 lm	15W included	£80.09

Quadra Modern LED Under Cabinet Light (WITH SENSOR) - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21192W0	2.5W	24V	1	155 lm	Required	£24.48
SE21192W2	5W	24V	2	155 lm	6W included	£60.22
SE21192W3	7.5W	24V	3	155 lm	15W included	£84.91



Over cabinet mounting (each bracket to be bought separately)



Under cabinet mounting (bracket provided with each fitting)




Image shows how this product is wired to a driver

Cables, Connectors and Accessories (optional)

CODE	DESCRIPTION	RRP
SE240920	Over cabinet mounting bracket	£1.20
SE9009	2.5m Extension Cable	£2.64



Inset shows SE240920 Mounting Bracket (required to transform the Quadra into an over cabinet light)



LARA

SURFACE/RECESSED LIGHT



- High quality, high output. Double the brightness of the standard Hype surface light
- No visible LED points
- Sleek and bright
- Perfect for task lighting or to illuminate cabinet interiors in glass fronted wall units
- Spacer included
- Can be surface mounted or recessed
- Luminous efficacy of 72 lm/W
- Aluminium fitting has great thermal conduction




Lara Surface/Recessed Light - Cool White (5000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10166C0	3W	24V	1	216 lm	Required	£26.64
SE10166C2	6W	24V	2	216 lm	6W included	£69.26
SE10166C3	9W	24V	3	216 lm	15W included	£100.90

Lara Surface/Recessed Light - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10166W0	3W	24V	1	194 lm	Required	£26.64
SE10166W2	6W	24V	2	194 lm	6W included	£69.26
SE10166W3	9W	24V	3	194 lm	15W included	£100.90



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



HYPE

LED SURFACE/RECESSED LIGHT



- Frosted cover for diffused LEDs
- Fitting supplied with collar for surface mounting
- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- Over 90% less energy use than halogen
- Can be used with a range of Sensio switches and dimmers




Hype LED Surface Light - Cool White (6500K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9005OC0	1.65W	24V	1	100 lm	Required	£15.36
SE9005OC2	3.3W	24V	2	100 lm	6W included	£47.16
SE9005OC3	4.95W	24V	3	100 lm	6W included	£62.21



Hype LED Surface Light - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9005OW0	1.65W	24V	1	93 lm	Required	£15.36
SE9005OW2	3.3W	24V	2	93 lm	6W included	£47.16
SE9005OW3	4.95W	24V	3	93 lm	6W included	£62.21



Recessed: Cut out size: Ø60mm




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



NICO

240V LED SURFACE/RECESSED LIGHT



- If used with distribution block, the wiring is completely plug and play, meaning no need for an electrician when fitting
- No visible LED points
- Runs at 240V so no driver is required
- Connector may be cut off the end of each fitting's cable enabling direct wiring to the mains supply (13A plug pre-wired to the SE211570)
- 2 and 3 light packs include 6 way distribution block
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- Spacer included
- Connector small enough to fit through 8mm hole




Nico 240V LED Surface/Recessed Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Distribution Block	RRP
SE21190C0	3W	240V	1	180 lm	-	£30.12
SE21190C2	6W	240V	2	180 lm	Included	£74.09
SE21190C3	9W	240V	3	180 lm	Included	£103.64



Nico 240V LED Surface/Recessed Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Distribution Block	RRP
SE21190W0	3W	240V	1	170 lm	-	£30.12
SE21190W2	6W	240V	2	170 lm	Included	£74.09
SE21190W3	9W	240V	3	170 lm	Included	£103.64



Recessed: Cut out size: Ø59-61mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE211750	Nico 1.5m Extension Cable	£5.64
SE211570	Nico 6 Way Distribution Block	£15.36



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



ORBIT

TILTABLE LED LIGHT



- Tilttable, super bright LED spot light
- Tilttable centre section allows light to be directed to any desired position
- Fitting supplied with collar
- Luminous efficacy of 59/81 lm/W
- High performance LED chips for optimum light output
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- Long lamp life - lasts up to 47,500 hours more than halogen
- Can be used with a range of Sensio switches and dimmers
- Die cast metal exterior




Orbit Tilttable LED Light - Cool White (5000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9008HDCW	3W	12V	1	243 lm	Required	£30.96
SE9008HDCWK2	6W	12V	2	243 lm	6W included	£77.75
SE9008HDCWK3	9W	12V	3	243 lm	15W included	£113.60



Orbit Tilttable LED Light - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9008HDWW	3W	12V	1	176 lm	Required	£30.96
SE9008HDWWK2	6W	12V	2	176 lm	6W included	£77.75
SE9008HDWWK3	9W	12V	3	176 lm	15W included	£113.60



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



SENSIOSOUND

LED BLUETOOTH SPEAKER LIGHT



- Kitchen lighting you can play your music through
- High output LED light with built-in **BLUETOOTH** RF audio speaker
- Wirelessly connects to mobile device to play music
- Provides bright task lighting
- Keeps surfaces tidy with 2-in-1 lighting and music solution
- Diffused LED points for streamlined appearance
- Two SensioSounds can be synced in one room for stereo sound
- Quick and extremely simple to use, all you need is a driver and mobile device
- Operational range of up to 10m
- Simple to install



SensioSound LED Bluetooth Speaker Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21090C0	8W	12V	1	334 lm	Required	£93.24

SensioSound LED Bluetooth Speaker Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21090W0	8W	12V	1	228 lm	Required	£93.24



Search for 'SensioSound' via your Bluetooth device. Connect.



Once connected, select the music you'd like to play - whether it be music stored on your mobile device, music via the internet or radio.





Image shows how this product is wired to a driver



Multi-room Function
2 x SensioSound fittings can be used in synchronisation for stereo sound.




NOVUS

HD LED TRIANGLE LIGHT



- Slim profile design of the popular triangle light
- Perfect for kitchens without a pelmet
- Luminous efficacy of 80 lm/W
- High definition LED
- Lens over each diode to intensify light output
- Long lamp life - lasts up to 47,500 hours more than halogen
- 24 integrated LEDs
- Can be used with a range of Sensio switches and dimmers
- Supplied with detachable cable 75mm from the base of the fitting



Novus HD LED Triangle Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001HDCW	1.65W	● 24V	1	132 lm	Required	£23.44
SE9001HDCW2	3.3W	● 24V	2	132 lm	6W included	£62.99
SE9001HDCW3	4.95W	● 24V	3	132 lm	6W included	£85.96

Novus HD LED Triangle Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001HDWW	1.65W	● 24V	1	123 lm	Required	£23.44
SE9001HDWW2	3.3W	● 24V	2	123 lm	6W included	£62.99
SE9001HDWW3	4.95W	● 24V	3	123 lm	6W included	£85.96





Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



BERMUDA

LED TRIANGLE LIGHT



- Traditional look, modern solution
- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Long lamp life - lasts up to 32,500 hours more than halogen
- Can be used with a range of Sensio switches and dimmers




Bermuda HD LED Triangle Light - Cool White (6500K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001OC0	1.65W	24V	1	100 lm	Required	£17.76
SE9001OC2	3.3W	24V	2	100 lm	6W included	£51.86
SE9001OC3	4.95W	24V	3	100 lm	6W included	£69.28



Bermuda HD LED Triangle Light - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001OW0	1.65W	24V	1	93 lm	Required	£17.76
SE9001OW2	3.3W	24V	2	93 lm	6W included	£51.86
SE9001OW3	4.95W	24V	3	93 lm	6W included	£69.28



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64




Image shows how this product is wired to a driver



ANGLO

HD LED WEDGE LIGHT



- Angled to project the light to the task area of the worktop
- High definition LED, each diode has a lens over it to intensify light output
- Energy efficient
- Luminous efficacy of 80 lm/W
- Compatible with the Sensio range of switches and controllers




Anglo HD LED Wedge Light - **Cool White (5000k)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9002HDSSCW	1.65W	24V	1	132 lm	Required	£22.20



Anglo HD LED Wedge Light - **Warm White (3000k)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9002HDSSWW	1.65W	24V	1	123 lm	Required	£22.20



Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64




Image shows how this product is wired to a driver



ORA

HD LED SQUARE SURFACE LIGHT



- Perfect for the minimalist kitchen design
- Stainless steel fitting great for both contemporary and traditional kitchens
- Fitting has a depth of only 8.8mm
- Luminous efficacy of 75 lm/W
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- 18 high definition integrated LEDs
- Lens over each diode to intensify light output
- Can be used with a range of Sensio switches and dimmers




Ora HD LED Square Surface Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9007HDCW	1.8W	24V	1	135 lm	Required	£20.52
SE9007HDCWK2	3.6W	24V	2	135 lm	6W included	£57.28
SE9007HDCWK3	5.4W	24V	3	135 lm	6W included	£77.39

Ora HD LED Square Surface Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9007HDWW	1.8W	24V	1	128 lm	Required	£20.52
SE9007HDWWK2	3.6W	24V	2	128 lm	6W included	£57.28
SE9007HDWWK3	5.4W	24V	3	128 lm	6W included	£77.39



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



PINTO

LED FLAT DISC LIGHT



- Sleek, bright and discreet
- Fitting is only 6mm deep
- Can be used under kitchen cabinets as a task light or inside glass fronted wall units as mood lighting
- 16 integrated LEDs
- Each fitting runs at only 1.5W so 4 fittings can be run from a single 6W driver
- Simple to install, surface mount using 2 screws



Pinto Modern LED Flat Disc Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10138CW24	1.5W	● 24V	1	120 lm	Required	£6.60
SE10138CWK3.24	4.5W	● 24V	3	120 lm	6W included	£36.46



Pinto Modern LED Flat Disc Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10138WW24	1.5W	● 24V	1	112 lm	Required	£6.60
SE10138WWK3.24	4.5W	● 24V	3	112 lm	6W included	£36.46





Image shows how this product is wired to a driver



GX53 CIRCA

LED SURFACE/RECESSED LIGHT



- Mains LED Spot lighting - anyone can install when using the distribution block accessory
- Stainless steel fitting
- Choose from two high output, energy efficient GX53 LED lamps
- No driver required
- Extremely simple connection system
- Mains cable has connector attached which plugs into the SE11175
- Distribution unit has pre-wired 13A plug
- 50 integrated diodes for optimum light output
- Lamps are simple to replace using twist and lock mechanism

Step 1 - Choose your light fitting:

GX53 Circa LED Recessed/Surface Light

CODE	Voltage	Qty	RRP
SE11146SS	240V	1	£14.04



Step 2 - Choose your lamp:


Cool White (5000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156CW	3W	240V	50	250 lm	1	£21.12



Warm White (3000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156WW	3W	240V	50	245 lm	1	£24.96



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE11175	GX53 6 Way Distributor Block with 1.5m Cable & Plug	£12.48



GX53 TRIGON LED TRIANGLE LIGHT



- Mains LED Spot lighting - anyone can install when using the distribution block accessory
- Stainless steel triangle light fitting only
- Buy the fitting and then choose LED lamp from table below
- No driver is required
- Extremely simple connection system
- Mains cable has connector attached which plugs into the SE11175
- 50 diodes integrated for optimum light output
- Angled aspect directs light forward onto worktop
- Lamps are simple to replace using twist and lock mechanism

Step 1 - Choose your light fitting:

GX53 Trigon LED Triangle Light

CODE	Voltage	Qty	RRP
SE11147SS	240V	1	£12.72


Step 2 - Choose your lamp:

Cool White (5000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156CW	3W	240V	50	250 lm	1	£21.12

Warm White (3000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156WW	3W	240V	50	245 lm	1	£24.96



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE11175	GX53 6 Way Distributor Block with 1.5m Cable & Plug	£12.48





UNDER CABINET STRIP LIGHTING

- The ultimate task lighting solution.
- Create a continuous run of unbroken light by using an LED strip light.

ARROW

SLIM PROFILE LED STRIP LIGHT



- Continuous, diffused LED Under Cabinet Lighting
- Contains unique configuration of diffusers to evenly distribute light
- No visible LED points
- Available in 4 lengths, tailored to perfectly fit all cabinet sizes and combinations
- Can be interlinked with no visible joins
- Slim profile of only 13mm
- High lumen output and wide beam angle
- Maximum length of 3600mm when interlinked
- End cap measures 20mm
- Starter cable to be purchased separately




Arrow Slim Profile LED Strip Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9071HDCW	2.5W	● 24V	200mm	1	295 lm	Required	£21.78
SE9074HDCW	4W	● 24V	300mm	1	472 lm	Required	£28.44
SE9075HDCW	7.5W	● 24V	570mm	1	958 lm	Required	£54.36
SE9076HDCW	11.5W	● 24V	870mm	1	1387 lm	Required	£84.96

Arrow Slim Profile LED Strip Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9071HDWW	2.5W	● 24V	200mm	1	258 lm	Required	£21.78
SE9074HDWW	4W	● 24V	300mm	1	413 lm	Required	£28.44
SE9075HDWW	7.5W	● 24V	570mm	1	838 lm	Required	£54.36
SE9076HDWW	11.5W	● 24V	870mm	1	1213 lm	Required	£84.96



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9078HD*	1.5m Arrow Starter Cable * Required to run the Arrow (at least one required per run)	£4.56
SE9077HD	50mm Arrow Corner Connector	£3.00
SE9079HD	50mm Inter-Connecting Cable	£3.48



Image shows how this product is wired to a driver



CONNEX

240V LED STRIP LIGHT





- The LED alternative to T5 with no visible LEDs
- Extremely high light output for effective task lighting
- Mains fitting for simple installation
- Energy efficient
- Can be interlinked
- Supplied with 1m of bare ended mains cable for simple installation
- No driver required
- Available in warm white



Connex 240V LED Strip Light - Warm White (3000K)

CODE	Wattage	Voltage	Length	Qty	Lumens	RRP
SE10173W0	4.4W	240V	270mm	1	450 lm	£25.32
SE10183W0	6.4W	240V	396mm	1	540 lm	£27.24
SE10193W0	8.4W	240V	524mm	1	720 lm	£32.52
SE10203W0	10.2W	240V	623mm	1	900 lm	£35.28



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE120450	Connex Inter-Connecting Lead - Cable Length 500mm	£3.12
SE120750	Connex Power Lead - Cable Length 1.5m	£4.20



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



ALBUS

LED STRIP LIGHT




- Ultimate ease of installation
- Fittings can be interlinked
- No driver required
- High number of LEDs for maximum light output
- Angled fitting for optimum illumination of worktops
- Supplied with 1m of mains cable for simple installation



Albus LED Strip Light - Cool White (6000K)

CODE	Wattage	Voltage	Length	Qty	Lumens	RRP
SE12250-250mm	2.7W	240V	250mm	1	235 lm	£38.40
SE12330-330mm	3.6W	240V	330mm	1	325 lm	£43.92
SE12550-550mm	6.8W	240V	550mm	1	605 lm	£63.00



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE12005	500mm Link Cable	£3.12



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



IN CABINET LIGHTING

- Illuminate your cupboards automatically as they open for ultimate ease of use using In Cabinet Light.
- A beautiful added extra bringing luxury to any kitchen design.
- For Retro-Fit Rechargeable Battery/Low Voltage In-Cabinet Lighting see pages 160 - 183.



QUADRA MODERN LED IN CABINET LIGHT



- **Registered Design Right - 6024086**
- Multi-functional design, unique to Sensio in the UK
- Specialised lens diffuses LEDs to create the appearance of invisible diodes
- Integrated IR Sensor
- Light coloured doors - can be fitted 50mm from door
- Dark coloured doors - can be fitted 25mm from door
- High number of LEDs for bright light output
- Light switches on as door opens and off as door closes
- Easy installation using mounting bracket



Quadra Modern LED In Cabinet Light - **Cool White (5600K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE23092C0	2.5W	24V	1	170 lm	Required	£28.56



Quadra Modern LED In Cabinet Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE23092W0	2.5W	24V	1	155 lm	Required	£28.56




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



QUADRA CLASSIC LED IN CABINET LIGHT



- Multi-functional design, unique to Sensio in the UK
- Lens of the fitting has a Triphosphur coating to ensure an even spread of light
- IR sensor integrated on the front edge of the fitting. Light is activated on the opening of the cabinet door. When the door is closed the light will switch off
- Minimal energy usage
- Ideal for smaller cabinets



Quadra Classic LED In Cabinet Light - **Cool White (5325K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
03.1000.0610	2.5W	12V	1	170 lm	Required	£17.50



Quadra Classic LED In Cabinet Light - **Warm White (3050K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
03.1000.0620	2.5W	12V	1	155 lm	Required	£17.50




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



SHELF LIGHTING



- A stunning added extra to your lighting scheme, Shelf Lighting has a big impact.
- Range consists of external, wall mounted shelf lighting and internal lighting to illuminate glass pane shelving in glass fronted wall units.

EDGE LED GLASS CLIP LIGHT



- Glass shelves are a feature. Light them
- Fits 6-8mm pane of glass
- Provides soft, ambient mood lighting
- White, diffused finish
- Light shines out towards front edge of the glass
- Can be cut to length
- Cut marks every 90mm or 7 LEDs apart
- Integrated diffuser provides no visible dots
- Extremely low wattage
- Use two lengths together for longer units
- Simple to install




Edge LED Glass Clip Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9063HDCW	2W	● 24V	450mm	1	281 lm	Required	£18.36

Edge LED Glass Clip Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9063HDWW	2W	● 24V	450mm	1	220 lm	Required	£18.36



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64




Image shows how this product is wired to a driver



FLORENCE

IP44 LED GLASS SHELF LIGHT




- Add ambience and additional storage space
- Aluminium frame containing a high power LED strip light
- Frosted glass
- High light output
- Built-in driver
- Long lifespan so no need for replacement lamps
- Maximum weight load is 3kg
- Must be fitted a minimum of 0.6m away from the sink
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



Florence IP44 LED Glass Shelf Light - **Natural White (4500K)**

CODE	Wattage	Voltage	Dimensions	Qty	Lumens	Driver	RRP
SE30156W0	1.7W	240V	500mm(L) 135mm(W)	1	189 lm	Built in	£82.92



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>





DRAWER LIGHTING

- A functional convenience light which should be added to a design for ultimate ease of use.
- High definition LED drawer lights are a great added extra to illuminate dark drawers where additional light is often sought.

VERSO LED DRAWER LIGHT




- The ultimate functional light
- Various lengths available to suit standard drawer sizes
- High definition LED for optimum light output
- Integrated IR sensor on front edge - light will turn on when drawer is opened
- When drawer is closed, light turns off - saves energy
- Low wattage - a full drawer pack can be powered from a single driver
- Brackets and cable tidy supplied
- Fitting is suitable for use in both the kitchen and bedroom



Verso LED Drawer Light - **Natural White (4500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE7300HDCW	2.6W	12V	462mm	1	205 lm	Required	£42.97
SE7305HDCW	3.3W	12V	562mm	1	250 lm	Required	£50.40
SE7310HDCW	4.5W	12V	762mm	1	340 lm	Required	£57.60
SE7315HDCW	5.4W	12V	862mm	1	380 lm	Required	£64.68
SE7320HDCW	6W	12V	962mm	1	430 lm	Required	£74.04
SE7325HDCW	7.3W	12V	1162mm	1	515 lm	Required	£81.36



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



DURA

LED BATTERY DRAWER LIGHT



- Super bright and easy to install
- No wiring necessary - magnetic strip with 3M adhesive backing simply applies to inside of drawer
- Powered by 4 x AAA batteries (not included)
- Dual mode:
 - 1) In drawer/in cabinet: on/off
 - 2) Under cabinet swipe: on/off
- Integrated IR Sensor located in centre of fitting
- 300 second delay on sensor if no motion is detected
- Batteries have an approximate lifespan of 1.5 years when used for 3 minutes per day
- Dual mode functioning switch on the back of fixture
- Press functioning switch once to switch between modes



Dura LED Battery Drawer Light - **Cool White (5000K)**

CODE	Wattage	Power Supply	Qty	Lumens	RRP
SE16096C0	0.8W	4 x AAA batteries*	1	47 lm	£18.72

* Batteries not included



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



OVER CABINET LIGHTING

- Illuminate door fronts using Over Cabinet Lighting.
- Subtle mood lighting.
- Great addition to create a full lighting scheme.

QUADRA MODERN LED OVER CABINET LIGHT



- **Registered Design Right - 6024086**
- Multi-functional design, unique to Sensio in the UK
- Can be used over cabinet light by purchasing mounting bracket
- Simple installation
- Lens diffuses LEDs for invisible diodes
- Fitting can be daisy chained (6 in total from 15W Driver)
- Long design allows vast spread of light across cabinet front
- Great for mood lighting
- The fitting itself is an under cabinet light but with the addition of the bracket this becomes an over cabinet light




Quadra Modern LED Over Cabinet Light - **Cool White (5600K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092C0	2.5W	24V	1	170 lm	Required	£19.56
SE21092C2	5W	24V	2	170 lm	6W included	£55.39
SE21092C3	7.5W	24V	3	170 lm	15W included	£80.09

Quadra Modern LED Over Cabinet Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092W0	2.5W	24V	1	155 lm	Required	£19.56
SE21092W2	5W	24V	2	155 lm	6W included	£55.39
SE21092W3	7.5W	24V	3	155 lm	15W included	£80.09



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE240920	Mounting Bracket for Quadra SLS	£1.20
SE9009	2.5m Extension Cable	£2.64



Inset shows SE240920 Mounting Bracket (required to transform the Quadra into an over cabinet light)



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



ASTA OVER CABINET LIGHT



- Fitting has adjustable head for optimum illumination of cabinet front
- Light can be adjusted by 30°
- 24 integrated high definition LED diodes
- Head of the fitting is 340mm
- Can also be used above wardrobes
- Great for mood lighting



Asta Over Cabinet Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9015HDCW.1	1.65W	24V	1	140 lm	Required	£28.10
SE9015HDCWK2.1	3.3W	24V	2	140 lm	6W included	£72.13
SE9015HDCWK3.1	4.95W	24V	3	140 lm	6W included	£99.67

Asta Over Cabinet Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9015HDWW.1	1.65W	24V	1	132 lm	Required	£28.10
SE9015HDWWK2.1	3.3W	24V	2	132 lm	6W included	£72.13
SE9015HDWWK3.1	4.95W	24V	3	132 lm	6W included	£99.67






Image shows how this product is wired to a driver



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



PLINTH LIGHTING



- Integrate plinth lighting into your kitchen design to add dimension and depth to the room.
- Soft and unobtrusive, used for decorative purposes.
- Often an overlooked aspect of Kitchen Lighting but can have a huge impact.

LUCE LED SQUARE PLINTH LIGHT



- Super thin with invisible LEDs
- Stainless steel surround
- 6 diffused integrated LEDs
- No visible LED points
- Available individually or as a pack of 4 or 8
- Light sits flush to plinth
- Fittings can be daisy chained together
- Can be used with a range of Sensio switches and dimmers




Luce LED Square Plinth Light - **Cool White (4000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15090C0	0.6W	● 24V	1	16 lm	Required	£5.50
SE15090C4	2.4W	● 24V	4	16 lm	6W included	£38.59
SE15090C8	4.8W	● 24V	8	16 lm	6W included	£60.14

Luce LED Square Plinth Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15090W0	0.6W	● 24V	1	16 lm	Required	£5.50
SE15090W4	2.4W	● 24V	4	16 lm	6W included	£38.59
SE15090W8	4.8W	● 24V	8	16 lm	6W included	£60.14



Cut out size: Ø44mm



Image shows how this product is wired to a driver
Each cable on the product is 1m



SPECTO

LED ROUND PLINTH LIGHT



- Stylish, discreet fitting. Stunning effect
- Ideal for use on kitchen plinth or in zone 2 of bathroom
- Each fitting runs at 0.32W
- Available individually or as a pack of 4 or 8
- 15mm fittings - very discreet
- 2 x 75cm cable per fitting for daisy chain connection
- Can be used with a range of Sensio switches and dimmers
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical





Specto LED Round Plinth Light - **Cool White (4000K)**

CODE	Wattage	Qty	Lumens	Driver	RRP
SE15091C0	0.32W	1	8 lm	Required	£5.88
SE15091C4	1.28W	4	8 lm	6W included	£40.10
SE15091C8	2.56W	8	8 lm	6W included	£63.16

Specto LED Round Plinth Light - **Warm White (3000K)**

CODE	Wattage	Qty	Lumens	Driver	RRP
SE15091W0	0.32W	1	8 lm	Required	£5.88
SE15091W4	1.28W	4	8 lm	6W included	£40.10
SE15091W8	2.56W	8	8 lm	6W included	£63.16



PURO

LED ROUND PLINTH LIGHT



- 2 x 1m cables per fitting
- Available individually or as a pack of 4 or 8
- 15mm fittings - very discreet
- Fittings can be daisy chained together
- Can be used with a range of Sensio switches and dimmers




Puro LED Round Plinth Light - **Cool White (4000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15094C0	0.24W	● 24V	1	10 lm	Required	£4.54
SE15094C4	0.96W	● 24V	4	10 lm	6W included	£34.84
SE15094C8	1.92W	● 24V	8	10 lm	6W included	£52.62



Puro LED Round Plinth Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15094W0	0.24W	● 24V	1	10 lm	Required	£4.54
SE15094W4	0.96W	● 24V	4	10 lm	6W included	£34.84
SE15094W8	1.92W	● 24V	8	10 lm	6W included	£52.62



NIMBUS

LED PLINTH LIGHT KIT



- Mood lighting for the kitchen or bathroom
- Ideal for use on kitchen plinths or in the bathroom
- All required components are included in the kit
- 2 x 500mm cables for each fitting
- 1.5m of mains cable from the driver
- Maximum walkover pressure is 100kg
- Also suitable for use in ceramic tiles, natural stone, hard wood and Quartz flooring
- Low energy consumption
- IP67 rated - Totally protected against the ingress of dust and protected against immersion in water (up to 30 mins between 15cm & 1m)



Nimbus LED Plinth Light Kit - Cool White (5500K)

CODE	Wattage	Cable	Qty	Lumens	Driver	RRP
SE35000C6.1	1.8W	1m PF*	6	22.8 lm	8W included	£50.76

* PF = per fitting




Image shows how this product is wired to a driver
Each cable on the product is 500mm



A photograph of a modern interior space featuring dark wood paneling. A flexible strip light fixture is installed along the edge of a shelf or counter, emitting a warm, white glow. The light fixture is composed of many small, individual light sources that create a textured, ribbed appearance. The background shows a dark wood wall and a dark floor, creating a minimalist and sophisticated atmosphere.

FLEXIBLE STRIP LIGHTING

- The perfect product to really add depth to a room.
- Extremely simple to use and can be used almost anywhere.
- Consider creating ambient mood lighting by using the flexible strip above wall units, along the plinth, under the worktop and even around a TV.

SIGMA

BENDABLE FLEXIBLE STRIP



- **Registered Design Right - 6024618**
- Innovation at its best - our brand new bendable flexible strip
- Strip has a unique PCB board cut in a 'zigzag' shape with amazing flexibility, allowing you bend the strip along 2 axes'
- Strip can be bent around 90 degree corners without the need for corner cables or starting a new run of strip
- Available in a 5000mm reel
- Self-adhesive 3M tape on back for installation
- The product can be cut to length with cut points every 100mm
- Can be cut and reused up to 50 times
- Uses the same connectors as the Primo range
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)



Sigma Bendable Flexible Strip - Cool White (5000K)									Sigma Bendable Flexible Strip - Warm White (3000K)								
CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP	CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE10255C0	18W	24V	5000mm	1	300pcs	1990lm	Required	£71.40	SE10255W0	18W	24V	5000mm	1	300pcs	1960lm	Required	£71.40
SE10255C1	18W	24V	5000mm	1	300pcs	1990lm	30W included	£109.37	SE10255W1	18W	24V	5000mm	1	300pcs	1960lm	30W included	£109.37



Cable, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE101080*	Sigma Driver Connection Cable - 2500mm <i>* Required to run the Sigma LED Flexible Strip</i>	£4.08
SE100050	Sigma Interconnecting Lead	£1.44
SE100750	1.5m Interconnecting Lead	£4.44
SE101050	Sigma Flexible Strip Corner Connector	£2.40
SE9009	2.5m Extension Cable	£2.64



Image shows how this product is wired to a driver




QUANTUM

DIFFUSED FLEXIBLE STRIP



- Entirely diffused flexible strip light with no visible LED points
- Supplied with clips and 3M adhesive so the product can be used along the plinth or under cabinets
- Developed so the product can be cut to length. Cut points are every 41mm so a precise length can be achieved (each strip can only be cut once and the cut piece is to be discarded)
- Strips have male and female connectors so can be seamlessly and very simply interlinked
- Each strip is supplied with an end cap to protect the female end or cut end of the strip
- The join between strips is almost seamless
- No more visible LED points on a glossy floor - achieve a truly seamless line for the first time
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)



Quantum Diffused Flexible Strip - Cool White (5000K)

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE2010SC0	3W	24V	333mm	1	48	201 lm	Required	£24.36
SE2011SC0	9W	24V	1000mm	1	144	600 lm	Required	£54.00
SE2011SC1	9W	24V	1000mm	1	144	600 lm	30W included	£80.78

Quantum Diffused Flexible Strip - Warm White (3000K)

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE2010SW0	3W	24V	333mm	1	48	186 lm	Required	£24.36
SE2011SW0	9W	24V	1000mm	1	144	558 lm	Required	£54.00
SE2011SW1	9W	24V	1000mm	1	144	558 lm	30W included	£80.78




Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE200570*	Quantum Strip Driver Connection Lead - 1500mm	£5.04
* Required to run the Quantum Flexible Strip		
SE200050	50mm Corner Connection Cable	£4.20
SE200750	1500mm Inter-Connection Lead	£6.48



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



COMPACT

MULTI-POINT LED FLEXIBLE STRIP



• **Registered Design Right - 6024617**

- Compact has the highest lumen output per metre of all the flexible strips
- More diodes, closer together - no dark spots
- Sleek finish
- Self-adhesive 3M tape on back for installation
- Male and female ends allow you to create required length
- Can be cut to length (every 50mm)
- Cut the strip ONCE and re-use the cut off section using cut joining connector
- Suitable for use in multiple areas - including Plinth, Over / Under Cabinet
- Run 10m from one 60W driver
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




Compact Multi-Point Flexible LED Strip - **Cool White (5500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10845CO	3W	24V	500mm	1	333 lm	Required	£18.60
SE10815CO	6W	24V	1000mm	1	667 lm	Required	£27.24
SE10815C1	6W	24V	1000mm	1	667 lm	15W included	£46.45
SE10825CO	12W	24V	2000mm	1	1334 lm	Required	£47.76
SE10825C1	12W	24V	2000mm	1	1334 lm	15W included	£72.10

Compact Multi-Point Flexible LED Strip - **Warm White (2900K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10845W0	3W	24V	500mm	1	311 lm	Required	£18.60
SE10815W0	6W	24V	1000mm	1	623 lm	Required	£27.24
SE10815W1	6W	24V	1000mm	1	623 lm	15W included	£46.45
SE10825W0	12W	24V	2000mm	1	1246 lm	Required	£47.76
SE10825W1	12W	24V	2000mm	1	1246 lm	15W included	£72.10



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64
SE90314HD*	HD LED Flexible Strip Driver Connection Lead - 2500mm	£2.76
* Required to run the Compact LED Flexible Strip		
SE90315HD	HD LED Flexible Strip Inter-Connecting Lead - 500mm	£2.52
SE90316HD	HD LED Flexible Strip Corner Connection Lead - 50mm	£3.00
SE90317HD	HD LED Flexible Strip Cut Joining Connector	£1.44



Image shows how this product is wired to a driver



VIVA

MULTI LED FLEXIBLE STRIP



• **Registered Design Right - 6024615**

- Can be used almost anywhere
- Extremely low energy consumption, only 5W per 2000mm
- Self-adhesive 3M tape on back for installation
- Male and female ends allow you to create required length
- Can be cut to length (every 50mm)
- Cut the strip ONCE and re-use the cut off section using cut joining connector
- Suitable for use in multiple areas - including Plinth, Over / Under Cabinet
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water



Viva Multi LED Flexible Strip - **Cool White (5350K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10645CO	1.25W	24V	500mm	1	149 lm	Required	£12.12
SE10615CO	2.5W	24V	1000mm	1	298 lm	Required	£22.20
SE10615C1	2.5W	24V	1000mm	1	298 lm	15W included	£41.28
SE10625CO	5W	24V	2000mm	1	596 lm	Required	£38.88
SE10625C1	5W	24V	2000mm	1	596 lm	15W included	£57.62

Viva Multi LED Flexible Strip - **Warm White (2900K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10645W0	1.25W	24V	500mm	1	139 lm	Required	£12.12
SE10615W0	2.5W	24V	1000mm	1	278 lm	Required	£22.20
SE10615W1	2.5W	24V	1000mm	1	278 lm	15W included	£41.28
SE10625W0	5W	24V	2000mm	1	556 lm	Required	£38.88
SE10625W1	5W	24V	2000mm	1	556 lm	15W included	£57.62

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64
SE10314*	LED Flexible Strip Driver Connection Lead - 2500mm	£2.52
* Required to run the Viva LED Flexible Strip		
SE10316	LED Flexible Strip Corner Connection Lead - 50mm	£2.04
SE10317	LED Flexible Strip Inter-Connecting Lead - 1500mm	£2.40
SE10318MCC	LED Flexible Strip Cut Joining Connector	£3.00



PRIMO

5M CLIP LED FLEXIBLE STRIP



- **Registered Design Right - 6024616**
- Can be cut and re-used up to 50 times
- Illuminate several areas of a room with one strip
- Self-adhesive 3M tape on the back of the fitting for installation
- Supplied as 5m reel
- Can be cut to length (every 100mm)
- Suitable for multiple areas - including plinth, over / under cabinet
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)




Primo 5m Clip LED Flexible Strip - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10755C0	18W	24V	5m	1	1990 lm	Required	£58.80
SE10755C1	18W	24V	5m	1	1990 lm	30W included	£98.54

Primo 5m Clip LED Flexible Strip - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10755W0	18W	24V	5m	1	1985 lm	Required	£58.80
SE10755W1	18W	24V	5m	1	1985 lm	30W included	£98.54



Cable, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE101080*	Primo Driver Connection Cable - 2500mm * Required to run the Primo LED Flexible Strip	£4.08
SE100050	Primo Interconnecting Lead	£1.44
SE100750	1.5m Interconnecting Lead	£4.44
SE101050	Primo Flexible Strip Corner Connector	£2.40
SE9009	2.5m Extension Cable	£2.64



Image shows how this product is wired to a driver



DUOFLEX

DUAL COLOUR FLEXIBLE STRIP



- **Registered Design Right - 6024620**
- Seamlessly mix colour to create the perfect mood
- Can be easily alternated between cool white, natural white and warm white, and anything in between
- Self-adhesive 3M tape on back for installation
- Male and female ends allow you to create required length
- Can be cut to length (every 100mm)
- Cut the strip ONCE and that will create the end of the run. The cut piece with female end cannot be reused
- Operate using a DuoFlex compatible remote control or Sensio Multi-Light App
- One remote will control all receivers within 15m radius
- Maximum length of 6m can be run from each receiver
- 10 brightness levels
- Dims and brightens in 10% increments
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




Duoflex Dual Colour Flexible Strip - (2700K -5000K)

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE1044SD0	2.5W	24V	500mm	1	195 lm	Required	£19.44
SE1042SD0	10W	24V	2000mm	1	780 lm	Required	£57.72
SE1042SD1*	10W	24V	2000mm	1	780 lm	30W included	£140.75

* Includes the driver, driver lead, receiver and remote control

Cool white and warm white diodes side by side creating natural white



Cables and Connectors

CODE	DESCRIPTION	RRP
SE10325*	Driver Connection Lead - 2500mm	£3.96
* One Driver Lead is required for each run of the DuoFlex		
SE10328	DuoFlex Inter-Connecting Lead - 500mm	£2.88
SE10327	DuoFlex Corner Connection Lead - 50mm	£2.64



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



Warm white 2700K

Natural white 4000K

Cool white 5000K

DUOFLEX

REMOTE CONTROL & RECEIVER



- Control both LED colour temperature and brightness
- Allows you to choose any colour temperature between cool white and warm white
- Create natural white by combining warm and cool light
- One remote can control an unlimited number of receivers within 15m radius

Functions include:

- Rotate the colour temperature wheel to select colour temperature
- Increase and decrease brightness level
- Turn on and off
- Memory function - remembers the last setting once switched off and on again
- Radio signal - maximum range of remote is 15m
- Powered by a 3V button lithium battery (supplied)





DuoFlex Remote Control

CODE	Wattage	Qty	RRP
SE1003000	n/a	1	£24.70

DuoFlex Receiver

CODE	Wattage	Qty	RRP
SE1004100	22.5W per receiver (max wattage)	1	£34.20



RGB COLOUR CHANGING FLEXIBLE STRIP




- **Registered Design Right - 6024619**
- 7 colours, 3 effects
- Pre-set colours available
- Great for mood lighting
- Function available to cycle through colours
- Cycle can be slow or quick colour change
- Self-adhesive 3M tape on back for installation
- Male and female ends allow you to create required length
- Can be cut to length (every 100mm)
- Operate using the RGB Remote Control or Sensio Multi-Light App
- One remote will control all receivers within 15m radius
- Multiple receivers can be controlled by one remote
- Maximum length of 12m from a 60W Driver
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water



RGB Colour Changing Flexible Strip

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10245SR0	2.5W	24V	500mm	1	165 lm	Required	£15.72
SE10225SR0	10W	24V	2000mm	1	660 lm	Required	£54.24
SE10225SR1*	10W	24V	2000mm	1	660 lm	30W included	£145.36

* Includes the driver, driver lead, receiver and remote control



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE10325*	Driver Connection Lead - 2500mm	£3.96
* Required to run the RGB LED Flexible Strip		
SE10328	LED RGB Flexible Strip Inter-Connecting Lead - 500mm	£2.88
SE10327	LED RGB Flexible Strip Corner Connection Lead - 50mm	£2.64



RGB

REMOTE CONTROL & RECEIVER



- Quickly and easily set the mood
- Allows you to choose any light colour or select from 2 light effects
- One remote can control an unlimited number of receivers within 15m radius

Functions include:

- Single colour mode - rotate the colour wheel to select desired colour
- Gradual colour change - slowly cycle through all colours
- Flashing colour change - quickly flashes through all colours
- Colour change mode - control the speed the colours change
- Increase and decrease brightness level
- Turn on and off
- Memory function - remembers the last setting once switched off and on again
- Radio signal - maximum range of remote is 15m
- Powered by a 3V button lithium battery (supplied)





RGB Remote Control

CODE	Wattage	Qty	RRP
SE791090	n/a	1	£39.00

RGB Receiver

CODE	Wattage	Qty	RRP
SE791050	30W/60W per receiver	1	£28.08



SENSIO MULTI-LIGHT APP BLUETOOTH RECEIVERS



- Control any Sensio lighting product from a smart phone or tablet device
- How it works:
- Plug the relevant receiver for your light into a driver
 - *A receiver is required for any product you would like to control using the App
 - Download 'Sensio Multi Light' from the Apple Store (free download)
 - Switch all lighting you wish to control on
 - Follow the Sensio instructions to configure your preferred settings
- Features:
- On/off switch
 - Single product selection - control each light/light area individually
 - Group lighting - group all/some of your lighting to be controlled together
 - Your settings - set up lighting areas and control each separately
 - RGB lighting will change colour to the sound of your music




Sensio Multi-Light App Bluetooth Receivers


CODE	Description	Wattage	Qty	RRP
SE792990	Single Colour LED	72W*	1	£29.76
SE793990	RGB LED	72W*	1	£33.24
SE794990	Duo Colour LED	72W*	1	£31.92

* Maximum (based on use with 24V products)

Driver(s) to be purchased separately. Detection range of the receivers is ≤ 10m. The App can pair with up to 4 receivers.



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



SENSIO MULTI-LIGHT MOBILE LIGHTING CONTROL

- Multiple light type control (single colour, RGB, DuoFlex)
- Simple installation, now or later (can be retrofit)
- Easy to use FREE iOS App
- No more remotes, control all lighting from one app





ALUMINIUM PROFILES

- Available in a variety of lengths.
- We offer a surface mounted or recessed profile with a frosted diffuser.
- Our angled profile can be used to introduce wide angled light to edges and corners of internal units, or for use under cabinets for a discreet solution.

BEAM ANGLED ALUMINIUM PROFILE




- Angled to spread evenly diffused light
- Available in 2.2m and 1m lengths
- 16mm x 16mm
- All Sensio flexible strips will fit inside the profile (10mm inner channel)
- Silver finished end caps
- Hole in the end cap is adequate size to fit a JB4 connector, allowing use with the Primo, Compact and Viva
- Suitable for use with the Duoflex and RGB, simply adapt the hole in the end cap
- Supplied with one cut out end cap and one with no cut-out for a neat finish
- Opal PC cover to diffuse the LED points
- Mounting brackets and end caps supplied with each profile
- Additional mounting brackets and end caps will be sold separately in sets of 2



Beam Angled Aluminium Profile

CODE	Length	Qty	RRP
SE982120	1000mm	1	£11.64
SE982220	2200mm	1	£24.72



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE983050	Additional End Cap Set for Angled Aluminium Profile	£0.96
SE984050	Additional Mounting Bracket Set for Angled Aluminium Profile	£0.96



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



LINIA

RECESSED ALUMINIUM PROFILE




- Flush fit for a minimalist look
- Aluminium finish
- Houses all Sensio flexible strips
- Flexible and easy to install
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- End caps supplied with each profile (2 with the 1m, 4 with the 2.2m)
- Perfect for use under cabinets, inside larders or inside wardrobes
- Streamlined finish



Linia Recessed Aluminium Profile

CODE	Length	Qty	RRP
SE980120	1000mm	1	£11.76
SE980220	2200mm	1	£23.76



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE980050	2 x End Caps for Recessed Profile	£0.84



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



FINO

SURFACE MOUNTED PROFILE




- Customisable lighting
- Aluminium finish
- Houses all Sensio flexible strips
- Flexible and easy to install
- End caps and mounting brackets supplied with each profile (2 with the 1m, 4 with the 2m)
- Can be cut to length
- Perfect for use inside cabinets, larders or wardrobes
- Streamlined finish



Fino Surface Mounted Profile

CODE	Length	Qty	RRP
SE981120	1000mm	1	£11.28
SE981220	2200mm	1	£21.24



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE982050	2 x End Caps for Surface Mounted Profile	£ 0.84
SE981050	2 x Mounting Brackets for Surface Mounted/ Recessed Profile	£0.48





BATTERY LIGHTING

- Convenient, easy to install and discreet.
- No wiring necessary.
- Each product comes with an in-built PIR sensor.

DOMA

BATTERY POWERED SPOT LIGHT




- Quick and simple to install. No wiring required
- Diffuser conceals all visible LED points
- Powered by 3 x AA batteries (not included)
- Push the centre of the fitting to switch the light on/off
- Auto power off after 10 minutes
- Battery lifetime: 6 months when used 3 times per day for 5 minutes each time



Doma Battery Powered Spot Light - **Warm White (3000K)**

CODE	Wattage	Power Supply	Qty	Lumens	RRP
SE11009W0	0.75W	3 x AA batteries	1	70 lm	£14.38

* Requires 3 x AA batteries (not included). Comes in coloured packaging.



scan for videos about these products or visit
<https://www.sensio.co.uk/howto.html>



OPAL

BATTERY POWERED LED LIGHT




- Quick and simple to install. No wiring required
- Diffuser conceals all visible LED points
- Powered by 3 x AA batteries (not included)
- Built-in on/off switch with dimming function
- Functions: on at full brightness, 50% brightness and off
- Neat and simple solution, suitable for any kitchen
- Auto powers off after 10 minutes
- Battery lifetime - 1 year when used 3 times per day for 5 minutes



Opal Battery Powered LED Light - Warm White (3000K)

CODE	Wattage	Length	Power Supply	Qty	Lumens	RRP
SE10154W0	1.2W	251mm	3 x AA batteries	1	84 lm	£29.64

** Requires 3 x AA batteries (not included). Comes in coloured packaging.*



MIDWAY HANGING RAIL SYSTEM

- Kitchen organisation at its best.
- Allows you to utilise space between wall units and worktops.
- Provides task lighting and that essential additional storage space.

MIDWAY V1

HANGING RAIL SYSTEM




- **Registered Design Rights - 4038073** (rail), **4038077** (utensil hooks), **4038074** (small shelf), **4038075** (large shelf)
- Kitchen organisation at its best
- Allows you to utilise space between wall units and worktop
- Provides task lighting
- Build your perfect solution
- 4 accessories available: kitchen roll holder, utensil holder, small shelf and large shelf
- Profile available in 1m length but two can be added alongside one another to make longer length
- Choose flexible strip and install
- Profile can be cut to length
- High quality finish
- Branded end caps included
- Available in silver or black



Midway V1 Hanging Rail System


CODE	Length	Qty	RRP
SE180221	1m* (Profile only)	1	£44.64

*The profile measures at 1015mm without end caps and 1025mm with end caps
Choose your own flexible strip and corresponding cable to build a solution that meet your specific requirements.



Accessories

CODE	DESCRIPTION	RRP
SE180520	Small Shelf	£44.40
SE180620	Large Shelf	£57.60
SE180720	Utensil Hooks	£31.68
SE180920	Kitchen Roll Holder	£41.40
SE180420	Silver End Caps	£2.40



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>




MIDWAY V1

HANGING RAIL SYSTEM




- **Registered Design Rights - 4038073 (rail), 4038077 (utensil hooks), 4038074 (small shelf), 4038075 (large shelf)**
- Kitchen organisation at its best
- Allows you to utilise space between wall units and worktop
- Provides task lighting
- Build your perfect solution
- 4 accessories available: kitchen roll holder, utensil holder, small shelf and large shelf
- Profile available in 1m length but two can be added alongside one another to make longer length
- Choose flexible strip and install
- Profile can be cut to length
- High quality finish
- Branded end caps included
- Available in silver or black



Midway V1 Hanging Rail System

CODE	Length	Qty	RRP
SE180821	1m* (Profile only)	1	£44.64

*The profile measures at 1015mm without end caps and 1025mm with end caps
Choose your own flexible strip and corresponding cable to build a solution that meet your specific requirements.



Accessories

CODE	DESCRIPTION	RRP
SE180530	Small Shelf	£44.40
SE180630	Large Shelf	£57.60
SE180730	Utensil Hooks	£31.68
SE180930	Kitchen Roll Holder	£41.40
SE180430	Black End Caps	£2.40



CEILING LIGHTING

- Undoubtedly the essential element of any lighting design.
- Our recessed spotlights are perfect for adding needed task lighting to any room.
- Our stunning IP Rated pendant lighting collection will make a statement and truly bring a space to life.
- The ultimate wow factor in any kitchen, bedroom or bathroom.

ZIRCONIA

CRYSTAL CONE PENDANT LIGHT




- A drop of style
- Inject desirable mood lighting into your kitchen or bedroom with this exquisite droplet pendant
- Stylish chrome finish
- Clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs
- Great for task lighting
- Can be used in stylish clusters of 2 or 3 fittings
- Designed for use above kitchen island, dining table or in the bedroom
- 920mm stainless steel cable is adjustable
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



Zirconia Crystal Cone Pendant Light - Warm White (3000K)

CODE	Wattage	Voltage	Qty	Lumens	RRP
SE32101W0	4.8W	240V	1	330 lm	£133.19



BELLATRIX

CRUSHED CRYSTAL PENDANT LIGHT




- Add glamour to your kitchen design
- Polished chrome finish
- Beautiful crushed crystal layer in the bottom of the fitting
- 972 integrated LEDs
- Light bounces off crystals producing sparkling effect
- Superbly bright illumination
- Suspended on 1.1m of stainless steel cables
- Cables are adjustable
- Designed for use above kitchen island or dining table
- Suitable for use with a wall dimmer
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



Bellatrix Crushed Crystal Pendant Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	RRP
SE32001W0	33.12W	240V	1	2000 lm	£812.20



IP65 GU10

FIRE RATED CEILING SPOT LIGHT



- Complete your lighting scheme with this GU10 fitting
 - Fire rated fitting has intumescent properties to restore fire integrity of surface
 - Fitting has 90 minute fire rating
 - No driver required
 - Select finish required then LED lamp in either warm white or cool white
 - Lamp sits close to glass for increased beam angle
 - Part B/C/E compliant
 - IP65 rated - totally protected against the ingress of dust and protected against water jets from any direction
- *Purchase lamp separately

Step 1 - Choose your light fitting:

IP65 GU10 Fire Rated Ceiling Spot Light

CODE	Colour	Voltage	Cut Out	Qty	RRP
SE30034W0.1	White	240V	75mm	1	£17.52
SE30042W0.1	Chrome	240V	75mm	1	£19.91




Step 2 - Choose your lamp:

Cool White (6000K)

CODE	Wattage	Qty	Lumens	RRP
SE37105C0.1	5W	1	400 lm	£8.69

Warm White (2500K)

CODE	Wattage	Qty	Lumens	RRP
SE37105W0.1	5W	1	310 lm	£8.69





WIRELESS CHARGING

- Integrate our wireless charger into your kitchen work surface for a flush fit, discreet and convenient wireless charging solution.

Qi WIRELESS CHARGER




- Integrated wireless charging for your kitchen
- Charges compatible mobile devices wirelessly
- Can be integrated into work surface for flush fit
- Removes need for power cords
- Must be fitted with a 25mm clearance from edge of work surface
- Charging distance 0-6mm
- Lip is only 1mm deep for completely flush fit
- Input: DC 5V - 1.5A. Output: DC 5V - 1A
- Available in black or white



Qi Wireless Charger

CODE	Colour	Wattage	Connection	Qty	RRP
SE870980	Black	5W	Micro USB cable*	1	£67.92
SE870990	White	5W	Micro USB cable*	1	£67.92

* Plug not included



Cables, Connectors and Accessories

CODE	DESCRIPTION	
SE2007000	Pluggable USB Charger with 5m Cable	£11.76



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>





SENSIO POD

- An attractive pull up socket solution.
- Great for use in kitchen islands, the SensioPod boasts several design features.
- Choose the best solution for you from our range.

SENSIOPOD

PULL UP SOCKET



- Great for USB charging
- Aluminium effect
- Two USB ports integrated to charge USB devices
- Maximum allowance across both ports is 2100mA
- Slim profile with aluminium casing
- Chrome handle making pulling the product up or down simple
- IP54 Rated with in-built water channels
- Quick-release catch for secure closing
- Neon green control switch to stop appliance being left on to save energy
- Great for tidier surfaces
- Can be retracted fully whilst products are plugged in
- Fuse is built into model
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




SensioPod Pull Up Socket

CODE	Colour	Connection	Power Supply	Qty	RRP
SE80050AL	Aluminium Effect	13A plug*	Sockets: 3 x power & 2 x USB	1	£90.97

* Included

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.



SENSIOPOD+ PULL UP SOCKET



- Slim profile, contemporary finishes
- Die cast metal top in choice of 3 finishes: Chrome, Black Nickel and Stainless Steel
- Two USB ports integrated to charge USB devices
- Maximum allowance across both ports is 2100mA
- Slim profile with aluminium casing
- IP54 Rated with in-built water channels
- Quick-release catch for secure closing
- Neon green control switch to stop appliance being left on to save energy
- Great for tidier surfaces
- Can be retracted fully whilst products are plugged in
- Fuse is built into model
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




SensioPod+ Pull Up Socket

CODE	Colour	Connection	Power Supply	Qty	RRP
SE80050CH	Chrome	13A plug*	Sockets: 3 x power & 2 x USB	1	140.64
SE80050GM	Black Nickel	13A plug*	Sockets: 3 x power & 2 x USB	1	£140.64
SE80050SS	Stainless Steel	13A plug*	Sockets: 3 x power & 2 x USB	1	£140.64

* Included

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.



SENSIPOWER R

RECESSED POWER SOCKET & USB



- Flush fit hidden power point
- Discreet single socket power solution
- Two USB ports integrated to charge USB devices
- Maximum allowance across both ports is 2100mA
- Stainless steel finish top
- Can also be used in the side panel of an island
- Lip of product is only 5mm in width
- Lid is 1mm deep
- Hinged lid is magnetised and simply lifts up
- Lid will remain upright until closed if mounted in worktop
- Illuminated red power icon to indicate power supply is ready
- Suitable for use in kitchens, bedrooms or home office




SensioPower R Recessed Power Socket & USB

CODE	Colour	Connection	Power Supply	Qty	RRP
SE890900	Stainless Steel	13A plug*	Sockets: 1 x power & 2 x USB	1	£81.60

* Included

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.



SENSIOPOD BLUETOOTH PULL UP SOCKET



- Perfect for the modern living kitchen
- Multi-functional product: power, **BLUETOOTH** audio and USB
- Two USB ports integrated to charge USB devices
- Maximum allowance across both ports is 2100mA
- Slim profile with aluminium casing
- IP54 Rated with in-built water channels
- Quick-release catch for secure closing
- Neon green control switch to stop appliance being left on to save energy
- Great for tidier surfaces
- Can be retracted fully whilst products are plugged in
- Fuse is built into model so is easy to replace if required
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




SensioPod Bluetooth Pull Up Socket

CODE	Colour	Connection	Power Supply	Qty	RRP
SE890920	Stainless Steel	13A plug*	Sockets: 2 x power sockets, Bluetooth Speaker & 2 x USB Ports	1	£201.17

* Included

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.



- Audio specifications
- 2W miniature audio speaker
 - Sensitivity at L/R380MV
 - SNR > 80db
 - Frequency range: 280Hz-16KHz
 - Suitable for use with any Bluetooth enabled audio device and 3.5mm headphone jack (including MP3, MP4, Android Smart phones, iPhones and iPad).



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



SENSIOPOWER U

BLUETOOTH POWER SYSTEM WITH SHELF



- Everything you need for the kitchen of today
- Place your iPad, tablet or cookbook on shelf for great solution whilst cooking or spending time in the kitchen
- Multi-functional product: power, **BLUETOOTH** audio, hanging rail and USB
- Mount under kitchen wall units
- Plug appliances in and wirelessly play music
- Two USB ports integrated to charge USB devices
- Maximum allowance across both ports is 2100mA
- Neon green control switch to stop appliance being left on to save energy
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water




SensioPower U Bluetooth Power System with Shelf

CODE	Colour	Connection	Power Supply	Qty	RRP
SE891920	Aluminium	13A plug*	Sockets: 2 x power sockets, Bluetooth Speaker & 2 x USB Ports	1	£187.57

* Included

Please note: if charging a Smart device with a high mA requirement, please only charge one item at a time.



Audio specifications

- 2W miniature audio speaker • Sensitivity at L/R380MV• SNR > 80db • Frequency range: 280Hz-16KHz
- Suitable for use with any Bluetooth enabled audio device and 3.5mm headphone jack (including MP3, MP4, Android Smart phones, iPhones and iPad).




scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



BEDROOM LIGHTING



A photograph of a dark wooden wardrobe interior. Two circular, battery-powered lights are mounted on the inside of the wardrobe doors, casting a warm glow. The wardrobe is filled with folded clothes, including a grey jacket on the left, a white shirt and dark trousers in the middle, and a striped sweater at the bottom. The text 'RECHARGEABLE BATTERY WARDROBE LIGHTING' is overlaid on the left side of the image.

RECHARGEABLE BATTERY WARDROBE LIGHTING

- Add an element of convenience to your bedroom.
- Find what you need in your wardrobe in the dark without the need to turn on harsh overhead lighting.

ALTO

LED WARDROBE RAIL LIGHT




- Speed up your morning routine
- Aluminium wardrobe rail light with anti-slip design
- Integrated PIR sensor automatically switches lights on when wardrobe door opens
- PIR will remain on for 30 seconds and automatically switch off if no motion is detected
- Can be cut to length
- No electrical installation required
- Contains lithium-ion rechargeable battery
- Run time is 6.5 months based on 2.5 minutes per day
- Average charging time is 5.5 hours
- Maximum weight load is 20kg



Alto LED Wardrobe Rail Light - **Natural White (4500K)**

CODE	Wattage	Length	Qty LEDs	Lumens	RRP
SE53002C0*	0.6W	562mm	1 11pcs	55 lm	£61.44
SE53102C0*	0.8W	762mm	1 15pcs	75 lm	£67.32
SE53202C0*	1W	962mm	1 19pcs	95 lm	£78.60
SE53302C0*	1.2W	1162mm	1 23pcs	115 lm	£84.60

* Side mounting bracket set included



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
03.2005.0800	Pluggable USB Charger with 5m USB Charging Cable	£9.60
03.2006.0603	Top Mounting Brackets with Centre Support	£8.28



SOLUS

ANGLED LED WARDROBE SPOT LIGHT




- So simple to install and maintain
- Specifically designed for illuminating interior of wardrobes and cabinets
- Integrated PIR sensor automatically switches lights on when wardrobe door opens
- PIR will remain on for 30 seconds and automatically switch off if no motion is detected
- Detection range of PIR is 2m
- Cable free for ease of installation
- Angled surface light to reduce glare
- No electrical installation required
- Contains rechargeable lithium-ion battery
- Battery life is 5 months based on 2 minutes per day
- Average charging time is 3 hours



Solus Angled LED Wardrobe Spot Light - **Natural White (4500K)**

CODE	Wattage	Qty	LEDs	Lumens	RRP
SE20061C0	0.7W	1	14pcs	52 lm	£42.48



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE2007000	Pluggable USB Charger with 5m Cable	£11.76



MIMAS

LED WARDROBE LIGHT




- Lighting just where you need it
- Specifically designed for illuminating interior of wardrobes and cabinets
- Integrated PIR sensor automatically switches lights on when wardrobe door opens
- PIR will remain on for 30 seconds and automatically switch off if no motion is detected
- Detection range of PIR is 2m
- Cable free for ease of installation
- Angled surface light to reduce glare
- No electrical installation required
- Contains lithium-ion rechargeable battery
- Battery life is 5 months based on 2 minutes per day
- Average charging time is 3 hours



Mimas LED Wardrobe Light - Natural White (4500K)

CODE	Wattage	Qty	LEDs	Lumens	RRP
SE20051C0	0.7W	1	14pcs	52 lm	£51.00



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE2007000	Pluggable USB Charger with 5m Cable	£11.76



PRISMA

TILTABLE LED WARDROBE LIGHT




- Angle the light as you need it
- Discreet adjustable light specifically designed for illuminating interior of wardrobes and cabinets
- Tilttable LED centre allows angled light
- Integrated PIR sensor automatically switches lights on when wardrobe door opens
- PIR will remain on for 30 seconds and automatically switch off if no motion is detected
- Detection range of PIR is 2m
- Cable free for ease of installation
- Angled surface light to reduce glare
- Contains rechargeable lithium-ion battery
- Battery life is 5 months based on 2 minutes per day
- Average charging time is 3 hours
- Contains an override on/off switch



Prisma Tilttable LED Wardrobe Light - **Natural White (4500K)**

CODE	Wattage	Qty	LEDs	Lumens	RRP
SE20230W0.1	0.5W	1	8pcs	57 lm	£35.88

Switch to Day/Night: the PIR sensor will work whatever the surrounding light level is.
Switch to On: the PIR sensor will only work when the surround lighting is dark.
Switch to Off: will turn off all the functions.



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE2007000	Pluggable USB Charger with 5m Cable	£11.76



INCLINE

LED WARDROBE STRIP LIGHT




- Light angled to prevent glare
- Features an integrated PIR sensor which automatically switches the light on when the wardrobe door is opened
- PIR sensor will remain on for 30 seconds and then automatically switch off to ensure no power wastage
- Fitting is available in 3 different lengths, however can be cut down if required
- No electrical installation required. Contains a lithium-ion rechargeable battery
- Recharge this unit using the 03.2005.0800 pluggable USB charger
- Suitable for use in a wardrobe or kitchen cabinet



Incline LED Wardrobe Strip Light - Cool White (6000K)

CODE	Wattage	Length	Cut length	LEDs	Qty	Lumens	RRP
SE20242CO	0.4W	350mm	N/A	6pcs	1	27 lm	£80.04
SE20252CO	0.6W	550mm	100mm	10pcs	1	48 lm	£82.20
SE20272CO	0.9W	850mm	400mm	16pcs	1	80 lm	£98.76



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
03.2005.0800	Pluggable USB Charger with 5m USB Charging Cable	£9.60



ORION

LED UNDER BED LIGHT




- Illuminates the floor as motion is detected
- Perfect for fitting inside cabinets, wardrobes or on the underside of a bed
- Contains a rechargeable lithium-ion battery. No electrical installation required
- Cable free for ease of installation
- Rechargeable via a pluggable USB charger
- Has an adjustable hinge which can be screwed to the underside of a bed
- Detection range of the PIR sensor is 2m
- Battery life is 5 months based on 2 minutes of use per day
- Charging time is 3 hours on average
- Product contains an override on/off switch



Orion LED Under Bed Light - **Natural White (4500K)**

CODE	Wattage	LEDs	Qty	Lumens	RRP
SE20292W0	0.4W	6pcs	1	32lm	£44.16



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64





LOW VOLTAGE WARDROBE LIGHTING

- Add an element of convenience to your bedroom.
- Achieve the practical lighting scheme you desire using products from our diverse range.

ELARA

LED WARDROBE RAIL LIGHT




- Lighting truly integrated into your wardrobe
- Aluminium wardrobe rail light with anti-slip design
- Integrated PIR sensor automatically switches lights on when wardrobe door opens
- PIR will remain on for 30 seconds and automatically switch off if no motion is detected
- Can be cut to length
- Ensure, when cut, to leave 100mm from the left side of the sensor
- Side mounting brackets provided
- Maximum weight load is 20kg



Elara LED Wardrobe Rail Light - **Natural White (4500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE20021C0*	2.6W	12V	762mm	1	132 lm	Required	£52.80
SE20031C0*	3.2W	12V	962mm	1	152 lm	Required	£62.40
SE20041C0*	3.9W	12V	1162mm	1	170 lm	Required	£67.80

* Side mounting bracket set included



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
03.2006.0603	Top Mounting Bracket with Centre Support	£8.28
SE9009	2.5m Extension Cable	£2.64



scan for videos about these products or visit <https://www.sensio.co.uk/howto.html>



OPERIO

LED WARDROBE LIGHT




- Two sensors for left and right doors
- Position the fitting between left and right doors, no matter which door is opened the light will switch on
- PIR will remain on for 30 seconds and the light will automatically switch off if no motion is detected
- 2m detection range
- Surface mounted product for simple installation
- LED fittings are concealed
- Curved aspect means light is dispersed evenly
- High light output, low energy consumption



Operio LED Wardrobe Light - Natural White (4500K)

CODE	Wattage	Voltage	Qty	LEDs	Lumens	Driver	RRP
SE20111C0	2.2W	12V	1	30pcs	100lm	Required	£52.80



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



OPERIO MINI

LED WARDROBE LIGHT




- Small and discreet, side or top mount
- Surface mounted product for simple installation
- Fit at the top of a wardrobe/cabinet or at the side to spread light across the width of a wardrobe
- Compact design for discreet lighting solution
- Contains an integrated PIR sensor switch. The light will switch on when the wardrobe/cabinet door is opened
- PIR detection range is 2m
- Concealed LEDs
- Curved fitting disperses the light evenly around the wardrobe/cabinet



Operio Mini LED Wardrobe Light - **Natural White (4500K)**

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE20081C0	1.2W	12V	120mm	1	3pcs	28 lm	Required	£32.28
SE20081C2	1.2W PF*	12V	120mm PF*	2	3pcs	28 lm PF*	6W included	£80.32

* PF = per fitting



Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£2.64



LED READING LIGHTS

- Enjoy reading in bed with the help of our practical reading lights.
- No harsh overhead lighting or bedside lamps required.
- Position the light as required by bending the flexible arm into position.

OPUS

LED READING LIGHT




- Contains one high power, bright LED
- Built-in driver for ease of installation
- 350mm flexible arm is easily adjusted for light positioning
- Small push switch on the top of light head
- Low energy consumption
- Direct light beam
- Small size of light head makes this product discreet but powerful
- Quick and simple to install, either hard-wire or connect to a 3 pin plug



Opus LED Reading Light - Cool White (5000K)

CODE	Wattage	Qty	LEDs	Lumens	Driver	RRP
SE20121C0	1.7W	1	1pcs	66 lm	Built in	£51.12
SE20121C2	1.7WPF*	2	1pcs PF*	66 lm PF*	Built in	£102.48

* PF = per fitting



FLECTO

LED READING LIGHT




- Long head of the lamp and 140° angle allows for greater light dispersion
- Built-in driver for ease of installation
- 350mm flexible arm is easily adjusted for light positioning
- Small push switch on the top of light head
- Low energy consumption
- Direct light beam
- Small size of light head makes this product discreet but powerful
- Quick and simple to install, either hard-wire or connect to a 3 pin plug



Flecto LED Reading Lamp - Cool White (5000K)

CODE	Wattage	Qty	LEDs	Lumens	Driver	RRP
SE20131C0	1.6W	1	9pcs	32 lm	Built in	£45.48
SE20131C2	1.6WPF*	2	9pcs PF*	32 lm PF*	Built in	£91.08

* PF = per fitting





LIGHTING CONTROL

- When designing a lighting scheme don't forget lighting control.
- Our range of sensor switches, apps and remote controls make all the difference, bringing ease to your daily life.

LED DIMMING REMOTE CONTROL



- Dimming and switching for all areas of lighting
 - Create or choose the lighting level for you
- Multiple functions:
- Dim to the lowest light level - press the left button once
 - Set to full brightness - press the right button once
 - Select the desired light level by turning the dial
 - On/off switching - press the middle button
 - Memory function of the performance before last switched off
 - No limit on number of receivers that can be controlled using one remote
 - 15m range for remote
 - One receiver is required for each driver
 - Suitable for single colour LED lighting only



LED Dimming Receiver

CODE	Description	Wattage	Qty	RRP
SE790050	LED Dimming Receiver	60W*	1	£37.13

LED Dimming Remote Control

CODE	Description	Wattage	Qty	RRP
SE793090	LED Dimming Remote Control	N/A	1	£28.82

* Maximum





Image shows how this product is set up



CANNON

CABINET/SWIPE SENSOR SWITCH




- Activates and dims lights with motion
- Three functions:
 - Mount inside a cabinet - open door to activate light
 - Mount under cabinet - swipe hand in detection range to activate light. Dimming function is available in this mode
 - 5cm detection range
 - Plug and play solution
 - Can be surface mounted or recessed
 - Pre-set to monostable function
 - 1 x JB4 Distribution Block supplied with each sensor
 - 2.5m cable from Sensor to Distribution Block
 - Works with any 12V or 24V product




To set the function:
 • Connect to the power supply
 • Press the button to switch from one function to another

- Bistable Function - for under cabinet mounting
1. Move your hand over the sensor to switch the lights on and then move your hand over the sensor again to switch the lights off
 2. To dim the connected lights, place your hand within 5cm of the sensor for longer than one second, the lamp will dim up/down until your hand is removed from the detection range



- Monostable Function - For internal cabinet mounting
1. Open the cabinet door to switch the connected lights on
 2. Close the cabinet door to switch the connected lights off



Cannon Cabinet/Swipe Sensor Switch

CODE	Wattage	Qty	Driver	RRP
SE40516.1	24W or 48W*	1	Required	£20.16

* Maximum.
 24W=12V, 48W+24V.




Image shows how this product is set up



MODA

LED DIMMING SENSOR SWITCH



- Activates and dims lights with motion
- Three functions:
 - Mount inside a cabinet - open door to activate light
 - Mount under cabinet - swipe hand in detection range to activate light. Dimming function is available in this mode
 - 5cm detection range
 - Plug and play solution
 - Pre-set to monostable function
 - 1 x JB4 distribution block supplied with each sensor
 - 1.5m cable from sensor to distribution block
 - Works with any 12V or 24V product



Moda LED Dimming Sensor Switch

CODE	Wattage	Qty	Driver	RRP
SE40520C	15W or 30W*	1	Required	£22.08

* Maximum
15W = 12V, 30W = 24V

* Comes in coloured packaging.






Image shows how this product is set up

Extremely simple connection system.
The JB4 plug from the sensor connects to
the LED driver and the lights connect to the
distribution block on the sensor.



250W INFRA-RED SENSOR SWITCH




- Activates lights with motion
- Maximum detection range: 5-10cm
- Swipe hand past sensor to activate lights
- Suitable to use with majority of Sensio fittings
- Detects body heat motion and automatically switches lights on and off
- High wattage means the sensor can run a large number of fittings
- Rated input voltage: AC100-240V
- Discreet fitting
- Cut-out of only 13mm required
- 2m cable from Sensor to Distribution Block
- Compatible with 12V, 24V & 240V products



250W Infra-Red Sensor Switch

CODE	Wattage	Qty	RRP
SE40517	250W*	1	£27.96

*Maximum



IN-CABINET PIR SENSOR SWITCH





- Discreet in-cabinet motion sensor switch
- Works as on/off switch for lighting installed inside cabinets or wardrobes
- Mount in a side panel or back panel of an internal unit
- Dial on front of sensor allows you to select how long the lights will stay on for (from 10 seconds to 3 minutes)
- Detection range - 0.5m-2.5m
- 80° detection angle
- Discreet fitting
- Does not require a JB4 connector
- Compatible with 12V, 24V & 240V products



In-Cabinet PIR Sensor Switch

CODE	Wattage	Qty	RRP
SE40515	250W*	1	£29.64

*Maximum



250W IN-CABINET IR SENSOR SWITCH






- Door sensor switch to active lights when door is opened
- Lights go off when door is closed
- Detection range of 5-10cm
- Recess into internal shelves in wall units or wardrobes
- High wattage of 250W means this will run a large number of fittings
- Discreet fitting
- Can be used in kitchens or bedrooms
- Compatible with 12V, 24V & 240V products



250W In-Cabinet IR Sensor Switch

CODE	Wattage	Qty	RRP
SE40518	250W*	1	£27.96

*Maximum



scan for
videos
about this
product



DRIVERS

- Required to power low voltage LED lighting.
- To simplify the process of selecting the appropriate driver for your lighting requirements, Sensio use a simple colour coding system. The cable on the light fitting, the distributor block on the driver and the outer packaging for each product all carry a colour-coded label.
- All drivers in this brochure are colour coded. Refer to the product table to find the colour that is correct for your lights.
- Each driver's mains cable is 1.5m.

How to select the right driver for your lights:

1. Each driver can run a number of lights. Simply divide the wattage of the driver by the wattage of a single light and this will tell you exactly how many lights can be run by the driver.

Example: 15W driver with 3W lights
 $15 \div 3 = 5$ lights

2. Sensio drivers are available in various wattages. Simply work out the best option dependent on the number of lights you have.
- Note: Drivers have a limited number of ports to connect your lights to. A driver with 12 ports is therefore limited to a maximum of 12 lights. See the table for the number of ports.**

CODE	Description	Dimensions	Voltage	Qty	RRP
SE40553	6W Driver with 4 Port JB4 Distributor	52x34x20mm	● 24V	1	£17.40
SE40555	15W Driver with 6 Port JB4 Distributor	120x45x20mm	● 24V	1	£23.04
SE40556	30W Driver with 12 Port JB4 Distributor	155x42x32mm	● 24V	1	£37.68
SE40557.1	60W Driver with 12 Port JB4 Distributor	185x60x31mm	● 24V	1	£59.40
SE40625	6W LED Driver with 4 Port JB4 Distributor	58x34x20mm	● 12V	1	£16.68
SE40525	15W LED Driver with 6 Port JB4 Distributor	120x45x20mm	● 12V	1	£22.68
SE40526	30W LED Driver with 12 Port JB4 Distributor	150x40x31mm	● 12V	1	£39.84



INDEX

UNDER CABINET SPOT LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
18-19	HYPE TRIOTONE	SE21100	3000K, 4000K, 5000K	1.65W	130-150 lm	£20.76
		SE21100K2	3000K, 4000K, 5000K	3.3W	130-150 lm	£57.75
		SE21100K3	3000K, 4000K, 5000K	4.95W	130-150 lm	£78.08
20-21	HYPE BERMUDA	SE21000	3000K, 4000K, 5000K	1.65W	130-150 lm	£22.44
		SE21000K2	3000K, 4000K, 5000K	3.3W	130-150 lm	£61.03
		SE21000K3	3000K, 4000K, 5000K	4.95W	130-150 lm	£83.03
22-23	PAD2	SE22006C0	Cool White 5000K	3.5W	308 lm	£39.60
		SE22006C2	Cool White 5000K	7W	308 lm	£100.20
		SE22006C3	Cool White 5000K	10.5W	308 lm	£139.01
		SE22006W0	Warm White 3000K	3.5W	301 lm	£39.60
		SE22006W2	Warm White 3000K	7W	301 lm	£100.20
24-25	ALTI	SE22006W3	Warm White 3000K	10.5W	301 lm	£139.01
		SE21006C0	Cool White 5000K	3.5W	319 lm	£21.12
		SE21006C2	Cool White 5000K	7W	319 lm	£63.97
		SE21006C3	Cool White 5000K	10.5W	319 lm	£84.67
		SE21006W0	Warm White 3000K	3.5W	291 lm	£21.12
26-27	QUADRA MODERN - WITHOUT SENSOR	SE21006W2	Warm White 3000K	7W	291 lm	£63.97
		SE21006W3	Warm White 3000K	10.5W	291 lm	£84.67
		SE21092C0	Cool White 5600K	2.5W	170 lm	£19.56
		SE21092C2	Cool White 5600K	5W	170 lm	£55.39
		SE21092C3	Cool White 5600K	7.5W	170 lm	£80.09
26-27	QUADRA MODERN - WITH SENSOR	SE21092W0	Warm White 3000K	2.5W	155 lm	£19.56
		SE21092W2	Warm White 3000K	5W	155 lm	£55.39
		SE21092W3	Warm White 3000K	7.5W	155 lm	£80.09
		SE21192C0	Cool White 5600K	2.5W	170 lm	£24.48
		SE21192C2	Cool White 5600K	5W	170 lm	£60.22
28-29	LARA	SE21192C3	Cool White 5600K	7.5W	170 lm	£84.91
		SE21192W0	Warm White 3000K	2.5W	155 lm	£24.48
		SE21192W2	Warm White 3000K	5W	155 lm	£60.22
		SE21192W3	Warm White 3000K	7.5W	155 lm	£84.91
		SE10166C0	Cool White 5000K	3W	216 lm	£26.64
30-31	HYPE	SE10166C2	Cool White 5000K	6W	216 lm	£69.26
		SE10166C3	Cool White 5000K	9W	216 lm	£100.90
		SE10166W0	Warm White 3000K	3W	194 lm	£26.64
		SE10166W2	Warm White 3000K	6W	194 lm	£69.26
		SE10166W3	Warm White 3000K	9W	194 lm	£100.90
32-33	NICO	SE90050C0	Cool White 6500K	1.65W	100 lm	£15.36
		SE90050C2	Cool White 6500K	3.3W	100 lm	£47.16
		SE90050C3	Cool White 6500K	4.95W	100 lm	£62.21
		SE90050W0	Warm White 3000K	1.65W	93 lm	£15.36
		SE90050W2	Warm White 3000K	3.3W	93 lm	£47.16
34-35	ORBIT	SE90050W3	Warm White 3000K	4.95W	93 lm	£62.21
		SE21190C0	Cool White 5000K	3W	180 lm	£30.12
		SE21190C2	Cool White 5000K	6W	180 lm	£74.09
		SE21190C3	Cool White 5000K	9W	180 lm	£103.64
		SE21190W0	Warm White 3000K	3W	170 lm	£30.12
34-35	ORBIT	SE21190W2	Warm White 3000K	6W	170 lm	£74.09
		SE21190W3	Warm White 3000K	9W	170 lm	£103.64
		SE9008HDCW	Cool White 5000K	3W	243 lm	£30.96
		SE9008HDCWK2	Cool White 5000K	6W	243 lm	£77.75
		SE9008HDCWK3	Cool White 5000K	9W	243 lm	£113.60
34-35	ORBIT	SE9008HDWW	Warm White 3000K	3W	176 lm	£30.96
		SE9008HDWWK2	Warm White 3000K	6W	176 lm	£77.75
		SE9008HDWWK3	Warm White 3000K	9W	176 lm	£113.60

UNDER CABINET SPOT LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
36-37	SENSIOSOUND	SE21090C0	Cool White 5000K	8W	334 lm	£93.24
		SE21090W0	Warm White 3000K	8W	228 lm	£93.24
38-39	NOVUS	SE9001HDCW	Cool White 5000K	1.65W	132 lm	£23.44
		SE9001HDCW2	Cool White 5000K	3.3W	132 lm	£62.99
		SE9001HDCW3	Cool White 5000K	4.95W	132 lm	£85.96
		SE9001HDWW	Warm White 3000K	1.65W	123 lm	£23.44
		SE9001HDWW2	Warm White 3000K	3.3W	123 lm	£62.99
40-41	BERMUDA	SE9001HDWW3	Warm White 3000K	4.95W	123 lm	£85.96
		SE90010C0	Cool White 6500K	1.65W	100 lm	£17.76
		SE90010C2	Cool White 6500K	3.3W	100 lm	£51.86
		SE90010C3	Cool White 6500K	4.95W	100 lm	£69.28
		SE90010W0	Warm White 3000K	1.65W	93 lm	£17.76
42-43	ANGLO	SE90010W2	Warm White 3000K	3.3W	93 lm	£51.86
		SE90010W3	Warm White 3000K	4.95W	93 lm	£69.28
		SE9002HDSSCW	Cool White 5000K	1.65W	132 lm	£22.20
		SE9002HDSSWW	Warm White 3000K	1.65W	123 lm	£22.20
		SE9007HDCW	Cool White 5000K	1.8W	135 lm	£20.52
44-45	ORA	SE9007HDCWK2	Cool White 5000K	3.6W	135 lm	£57.28
		SE9007HDCWK3	Cool White 5000K	5.4W	135 lm	£77.39
		SE9007HDWW	Warm White 3000K	1.8W	128 lm	£20.52
		SE9007HDWWK2	Warm White 3000K	3.6W	128 lm	£57.28
		SE9007HDWWK3	Warm White 3000K	5.4W	128 lm	£77.39
46-47	PINTO	SE10138CW.24	Cool White 5000K	1.5W	120 lm	£6.60
		SE10138CWK3.24	Cool White 5000K	4.5W	120 lm	£36.46
		SE10138WW.24	Warm White 3000K	1.5W	112 lm	£6.60
		SE10138WWK3.24	Warm White 3000K	4.5W	112 lm	£36.46
48-49	GX53 CIRCA	SE111465S	N/A	N/A	N/A	£14.04
		SE10156CW	Cool White 5000k	3W	250 lm	£21.12
		SE10156WW	Warm White 3000K	3W	245 lm	£24.96
50-51	GX53 TRIGON	SE111475S	N/A	N/A	N/A	£12.72
		SE10156CW	Cool White 5000k	3W	250 lm	£21.12
		SE10156WW	Warm White 3000K	3W	245 lm	£24.96

UNDER CABINET STRIP LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
54-55	ARROW	SE9071HDCW	Cool White 5000K	2.5W	295 lm	£21.78
		SE9074HDCW	Cool White 5000K	4W	472 lm	£28.44
		SE9075HDCW	Cool White 5000K	7.5W	958 lm	£54.36
		SE9076HDCW	Cool White 5000K	11.5W	1387 lm	£84.96
		SE9071HDWW	Warm White 3000K	2.5W	258 lm	£21.78
		SE9074HDWW	Warm White 3000K	4W	413 lm	£28.44
		SE9075HDWW	Warm White 3000K	7.5W	838 lm	£54.36
		SE9076HDWW	Warm White 3000K	11.5W	1213 lm	£84.96
56-57	CONNEX	SE10173W0	Warm White 3000K	4.4W	450 lm	£25.32
		SE10183W0	Warm White 3000K	6.4W	540 lm	£27.24
		SE10193W0	Warm White 3000K	8.4W	720 lm	£32.52
		SE10203W0	Warm White 3000K	10.2W	900 lm	£35.28
58-59	ALBUS	SE12250-250mm	Cool White 6000K	2.7W	235 lm	£38.40
		SE12330-330mm	Cool White 6000K	3.6W	325 lm	£43.92
		SE12550-550mm	Cool White 6000K	6.8W	605 lm	£63.00

INDEX

IN CABINET LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
62-63	QUADRA MODERN	SE23092C0	Cool White 5600K	2.5W	170 lm	£28.56
		SE23092W0	Warm White 3000K	2.5W	155 lm	£28.56
64-65	QUADRA CLASSIC	03.1000.0610	Cool White 5325K	2.5W	170 lm	£17.50
		03.1000.0620	Warm White 3050K	2.5W	155 lm	£17.50

SHELF LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
68-69	EDGE	SE9063HDCW	Cool White 5000K	2W	281 lm	£18.36
		SE9063HDWW	Warm White 3000K	2W	220 lm	£18.36
70-71	FLORENCE	SE30156W0	Natural White 4500K	1.7W	189 lm	£82.92

DRAWER LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
74-75	VERSO	SE7300HDCW	Natural White 4500K	2.6W	205 lm	£42.97
		SE7305HDCW	Natural White 4500K	3.3W	250 lm	£50.40
		SE7310HDCW	Natural White 4500K	4.5W	340 lm	£57.60
		SE7315HDCW	Natural White 4500K	5.4W	380 lm	£64.68
		SE7320HDCW	Natural White 4500K	6W	430 lm	£74.04
		SE7325HDCW	Natural White 4500K	7.3W	515 lm	£81.36
76-77	DURA	SE16096C0	Cool White 5000K	0.8W	47 lm	£18.72

OVER CABINET LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
80-81	QUADRA MODERN	SE21092C0	Cool White 5600K	2.5W	170 lm	£19.56
		SE21092C2	Cool White 5600K	5W	170 lm	£55.39
		SE21092C3	Cool White 5600K	7.5W	170 lm	£80.09
		SE21092W0	Warm White 3000K	2.5W	155 lm	£19.56
		SE21092W2	Warm White 3000K	5W	155 lm	£55.39
		SE21092W3	Warm White 3000K	7.5W	155 lm	£80.09
82-83	ASTA	SE9015HDCW.1	Cool White 5000K	1.65W	140 lm	£28.10
		SE9015HDCWK2.1	Cool White 5000K	3.3W	140 lm	£72.13
		SE9015HDCWK3.1	Cool White 5000K	4.95W	140 lm	£99.67
		SE9015HDWW.1	Warm White 3000K	1.65W	132 lm	£28.10
		SE9015HDWWK2.1	Warm White 3000K	3.3W	132 lm	£72.13
		SE9015HDWWK3.1	Warm White 3000K	4.95W	132 lm	£99.67

PLINTH LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
86-87	LUCE	SE15090C0	Cool White 4000K	0.6W	16 lm	£5.50
		SE15090C4	Cool White 4000K	2.4W	16 lm	£38.59
		SE15090C8	Cool White 4000K	4.8W	16 lm	£60.14
		SE15090W0	Warm White 3000K	0.6W	16 lm	£5.50
		SE15090W4	Warm White 3000K	2.4W	16 lm	£38.59
		SE15090W8	Warm White 3000K	4.8W	16 lm	£60.14

PLINTH LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
88-89	SPECTO	SE15091C0	Cool White 4000K	032W	8 lm	£5.88
		SE15091C4	Cool White 4000K	1.28W	8 lm	£40.10
		SE15091C8	Cool White 4000K	2.56W	8 lm	£63.16
		SE15091W0	Warm White 3000K	032W	8 lm	£5.88
		SE15091W4	Warm White 3000K	1.28W	8 lm	£40.10
		SE15091W8	Warm White 3000K	2.56W	8 lm	£63.16
90-91	PURO	SE15094C0	Cool White 4000K	0.24W	10 lm	£4.54
		SE15094C4	Cool White 4000K	0.96W	10 lm	£34.84
		SE15094C8	Cool White 4000K	1.92W	10 lm	£52.62
		SE15094W0	Warm White 3000K	0.24W	10 lm	£4.54
		SE15094W4	Warm White 3000K	0.96W	10 lm	£34.84
		SE15094W8	Warm White 3000K	1.92W	10 lm	£52.62
92-93	NIMBUS	SE35000C6.1	Cool White 5500K	1.8W	22.8 lm	£50.76

FLEXIBLE STRIP LIGHTING

Page number	Product name	Product code	Colour temperature	Length	Wattage	Lumens	RRP
96-97	SIGMA	SE10255C0	Cool White 5000K	5000mm	18W	1990 lm	£71.40
		SE10255C1	Cool White 5000K	5000mm	18W	1990 lm	£109.37
		SE10255W0	Warm White 3000K	5000mm	18W	1960 lm	£71.40
		SE10255W1	Warm White 3000K	5000mm	18W	1960 lm	£109.37
98-99	QUANTUM	SE20105C0	Cool White 5000K	333mm	3W	201 lm	£24.36
		SE20115C0	Cool White 5000K	1000mm	9W	600 lm	£54.00
		SE20115C1	Cool White 5000K	1000mm	9W	600 lm	£80.78
		SE20105W0	Warm White 3000K	333mm	3W	186 lm	£24.36
		SE20115W0	Warm White 3000K	1000mm	9W	558 lm	£54.00
		SE20115W1	Warm White 3000K	1000mm	9W	558 lm	£80.78
100-101	COMPACT	SE10845C0	Cool White 5500K	500mm	3W	333 lm	£18.60
		SE10815C0	Cool White 5500K	1000mm	6W	667 lm	£27.24
		SE10815C1	Cool White 5500K	1000mm	6W	667 lm	£46.45
		SE10825C0	Cool White 5500K	2000mm	12W	1334 lm	£47.76
		SE10825C1	Cool White 5500K	2000mm	12W	1334 lm	£72.10
		SE10845W0	Warm White 2900K	500mm	3W	311 lm	£18.60
		SE10815W0	Warm White 2900K	1000mm	6W	623 lm	£27.24
		SE10815W1	Warm White 2900K	1000mm	6W	623 lm	£46.45
		SE10825W0	Warm White 2900K	2000mm	12W	1246 lm	£47.76
		SE10825W1	Warm White 2900K	2000mm	12W	1246 lm	£72.10
102-103	VIVA	SE10645C0	Cool White 5350K	500mm	1.25W	149 lm	£12.12
		SE10615C0	Cool White 5350K	1000mm	2.5W	298 lm	£22.20
		SE10615C1	Cool White 5350K	1000mm	2.5W	298 lm	£41.28
		SE10625C0	Cool White 5350K	2000mm	5W	596 lm	£38.88
		SE10625C1	Cool White 5350K	2000mm	5W	596 lm	£57.62
		SE10645W0	Warm White 2900K	500mm	1.25W	139 lm	£12.12
		SE10615W0	Warm White 2900K	1000mm	2.5W	278 lm	£22.20
		SE10615W1	Warm White 2900K	1000mm	2.5W	278 lm	£41.28
		SE10625W0	Warm White 2900K	2000mm	5W	556 lm	£38.88
		SE10625W1	Warm White 2900K	2000mm	5W	556 lm	£57.62
104-105	PRIMO	SE10755C0	Cool White 5000K	5m	18W	1990 lm	£58.80
		SE10755C1	Cool White 5000K	5m	18W	1990 lm	£98.54
		SE10755W0	Warm White 3000K	5m	18W	1985 lm	£58.80
		SE10755W1	Warm White 3000K	5m	18W	1985 lm	£98.54
106-107	DUOFLEX	SE10445D0	2700K-5000K	500mm	2.5W	195 lm	£19.44
		SE10425D0	2700K-5000K	2000mm	10W	780 lm	£57.72
		SE10425D1	2700K-5000K	2000mm	10W	780 lm	£140.75
108-109	DUOFLEX REMOTE CONTROL	SE1003000	N/A	N/A	N/A	N/A	£24.70
108-109	DUOFLEX RECEIVER	SE1004100	N/A	N/A	N/A	N/A	£34.20

INDEX

FLEXIBLE STRIP LIGHTING

Page number	Product name	Product code	Colour temperature	Length	Wattage	Lumens	RRP
110-111	RGB	SE10245R0	N/A	500mm	2.5W	165 lm	£15.72
		SE10225R0	N/A	2000mm	10W	660 lm	£54.24
		SE10225R1	N/A	2000mm	10W	660 lm	£145.36
112-113	RGB REMOTE CONTROL	SE791090	N/A	N/A	N/A	N/A	£39.00
112-113	RGB RECEIVER	SE791050	N/A	N/A	N/A	N/A	£28.08

Page number	Product name	Product code	Wattage	RRP
114-115	MULTI-LIGHT APP	SE792990	72W	£29.76
		SE793990	72W	£33.24
		SE794990	72W	£31.92

ALUMINIUM PROFILES

Page number	Product name	Product code	Length	RRP
118-119	BEAM	SE982120	1000mm	£11.64
		SE982220	2200mm	£24.72
120-121	LINIA	SE980120	1000mm	£11.76
		SE980220	2200mm	£23.76
122-123	FINO	SE981120	1000mm	£11.28
		SE981220	2200mm	£21.24

BATTERY LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
126-127	DOMA	SE11009W0	Warm White 3000K	0.75W	70 lm	£14.38
128-129	OPAL	SE10154W0	Warm White 3000K	1.2W	84 lm	£29.64

MIDWAY HANGING RAIL SYSTEM

Page number	Product name	Product code	Finish	Length	RRP
132-135	MIDWAY V1	SE180221	Silver	1m	£44.64
		SE180821	Black	1m	£44.64

CEILING LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
138-139	ZIRCONIA	SE32101W0	Warm White 3000K	4.8W	330 lm	£113.19
140-141	BELLATRIX	SE32001W0	Warm White 3000K	33.12W	2000 lm	£812.20
142-143	IP65 GU10	SE30034W0.1	N/A	N/A	N/A	£17.52
		SE30042W0.1	N/A	N/A	N/A	£19.91
		SE37105C0.1	Cool White 6000K	5W	400 lm	£8.69
		SE37105W0.1	Warm White 2500K	5W	310 lm	£8.69

WIRELESS CHARGING

Page number	Product name	Product code	Colour	Wattage	RRP
146-147	QI CHARGER	SE870980	Black	5W	£67.92
		SE870990	White	5W	£67.92

SENSIO POD

Page number	Product name	Product code	Colour	Connection	RRP
150-151	SENSIOPOD	SE80050AL	Aluminium Effect	13A plug	£90.97
152-153	SENSIOPOD+	SE80050CH	Chrome	13A plug	£140.64
		SE80050GM	Black Nickel	13A plug	£140.64
		SE80050SS	Stainless Steel	13A plug	£140.64
154-155	SENSIOPOWER R	SE890900	Stainless Steel	13A plug	£81.60
156-157	SENSIOPOD BLUETOOTH	SE890920	Stainless Steel	13A plug	£201.17
158-159	SENSIOPOWER U	SE891920	Aluminium	13A plug	£187.57

RECHARGEABLE BATTERY WARDROBE LIGHTING

Page number	Product name	Product code	Colour	Wattage	Lumens	RRP
164-165	ALTO	SE53002C0	Natural White 4500K	0.6W	55 lm	£61.44
		SE53102C0	Natural White 4500K	0.8W	75 lm	£67.32
		SE53202C0	Natural White 4500K	1W	95 lm	£78.60
		SE53302C0	Natural White 4500K	1.2W	115 lm	£84.60
166-167	SOLUS	SE20061C0	Natural White 4500K	0.7W	52 lm	£42.48
168-169	MIMAS	SE20051C0	Natural White 4500K	0.7W	52 lm	£51.00
170-171	PRISMA	SE20230W0.1	Natural White 4500K	0.5W	57 lm	£35.88
172-173	INCLINE	SE20242C0	Cool White 6000K	0.4W	27 lm	£80.04
		SE20252C0	Cool White 6000K	0.6W	48 lm	£82.20
		SE20272C0	Cool White 6000K	0.9W	80 lm	£98.76
		SE20292W0	Natural White 4500K	0.4W	32 lm	£44.16

LOW VOLTAGE WARDROBE LIGHTING

Page number	Product name	Product code	Colour temperature	Length	Wattage	Lumens	RRP
178-179	ELARA	SE20021C0	Natural White 4500K	762mm	2.6W	132 lm	£52.80
		SE20031C0	Natural White 4500K	962mm	3.2W	152 lm	£62.40
		SE20041C0	Natural White 4500K	1162mm	3.9W	170 lm	£67.80
180-181	OPERIO	SE20111C0	Natural White 4500K	N/A	2.2W	100 lm	£52.80
182-183	OPERIO MINI	SE20081C0	Natural White 4500K	120mm	1.2W	28 lm	£32.28
		SE20081C2	Natural White 4500K	120mm	1.2W PF	28 lm PF	£80.32

READING LIGHTING

Page number	Product name	Product code	Colour temperature	Wattage	Lumens	RRP
186-187	OPUS	SE20121C0	Cool White 5000K	1.7W	66 lm	£51.12
		SE20121C2	Cool White 5000K	1.7W PF	66 lm PF	£102.48
188-189	FLECTO	SE20131C0	Cool White 5000K	1.6W	32 lm	£45.48
		SE20131C2	Cool White 5000K	1.6W PF	32 lm PF	£91.08

LIGHTING CONTROL

Page number	Product name	Product code	Wattage	RRP
192-193	LED DIMMING RECEIVER	SE790050	60W	£37.13
192-193	LED DIMMING REMOTE CONTROL	SE793090	N/A	£28.82
194-195	CANNON SENSOR	SE40516.1	24W or 48W	£20.16
196-197	MODA SENSOR	SE40520C	15W or 30W	£22.08
198-199	250W IR SENSOR	SE40517	250W	£27.96
200-201	IN-CABINET PIR SENSOR	SE40515	250W	£29.64
202-203	250W IN-CABINET IR SENSOR	SE40518	250W	£27.96

DRIVERS

Page number	Product name	Product code	Voltage	RRP
204-205	6W DRIVER	SE40553	24V	£17.40
	15W DRIVER	SE40555	24V	£23.04
	30W DRIVER	SE40556	24V	£37.68
	60W DRIVER	SE40557.1	24V	£59.40
	6W DRIVER	SE40625	12V	£16.68
	15W DRIVER	SE40525	12V	£22.68
	30W DRIVER	SE40526	12V	£39.84

For more information and all our terms and conditions, please visit <http://www.sensio.co.uk/sensio-terms-and-conditions.html>



Sensio Lighting Ltd
www.sensio.co.uk
info@sensio.co.uk
Tel: +44 (0)1977 522 020
Fax: +44 (0)1977 710 995



Sensio America LLC
www.sensioamerica.com
support@sensioamerica.com



Sensio Company (HK) Ltd
www.sensio.com.hk
infoHK@sensio.co.uk



Sensio Slovenia D.O.O
www.sensio.si
info@sensio.si

Unit 7
Speedwell Road
Whitwood
Castleford
West Yorkshire
WF10 5PY
UK

All prices inclusive of 20% VAT and are Sensio's recommended retail prices. Prices are correct at the time of print (January 2018) and are subject to change, without prior notification. All technical information is correct at the time of print however is subject to change throughout the course of the year,

